

curlst.txt
list of Articles

- 1 ,KISHORE KUMAR, M.
Construction of cable stayed bridge on Ravi river in J&K.
Civ Eng Constr Rev 2015 February; 28(2): 84-89
E3907-08.
Control No. : 41229
- 2 ABLETT, B.
De-risking the bond street station upgrade.
Concrete (London) 2015 March; 49(2): 13-15
E3907-08.
Control No. : 41176
- 3 ANON
Bentley software creates Australia's largest road projects.
Civ Eng Constr Rev 2015 February; 28(2): 62-66
E3907-08.
Control No. : 41226
- 4 ANON
MT 3000-2 Offset permits non-stop precision work.
Civ Eng Constr Rev 2015 February; 28(2): 60-61
E3907-08.
Control No. : 41225
- 5 ANON
ROBBINS : Finest crafted tunneling machines .
Civ Eng Constr Rev 2015 February; 28(2): 102-03
E3907-08.
Control No. : 41233
- 6 BHOWMICK, A
IRC:112 Code for concrete highway bridges a new approach to structural engineering and the future challenges .
Civ Eng Constr Rev 2015 February; 28(2): 68-75
E3907-08.
Control No. : 41227
- 7 Birnbaum, J.
Samson feeder in the new application as a surface storage feeder.
C em Int 2015 May/June; 13(3): 52-55
E3907-08.
Control No. : 41211
- 8 BOIGER, P., et al
The new COPE drive system increases the operational reliability of vertical roller mills .
Cem Int 2015 July/August; 13(4): 36-45
E3907-08 .

Control No. : 41215

** - Keywords

1

□

- 9 BROWN, N.,
Drive to concrete frame success.
Concrete (London) 2015 March; 49(2): 43-47
E3907-08.
Control No. : 41183
- 10 BUCKNELL, D.
New NGBC recommendations for below-ground waterproofing
Concrete (London) 2015 March; 49(2): 34-35
E3907-08.
Control No. : 41182
- 11 CHADWICK, S.
Bond street station upgrade-computer-aided engineering
and finite element analysis.
Concrete (London) 2015 March; 49(2): 16-19
E3907-08.
Control No. : 41177
- 12 CHAMPENOIS, J.-B., et al
Influence of sodium borate on the early age hydratin of
calcium sulfoaluminate cement.
Cem Concr Res 2015 April; 70: 83-93
E3907-08.
Control No. : 41196
- 13 CHAVDA, M.A., et al
Identification of the hydrate gel phases present in
phosphate-modified calcium aluminate binders .
Cem Concr Res 2015 April; 70: 21-28
E3907-08.
Control No. : 41189
- 14 CLASSEN, M. and DRESSEN, T.
Experimental investigations on prestressed concrete beams
with openings.
ACI Mater J 2015 Mar-Apr; 112(2): 221-32
E3907-08.
Control No. : 41207
- 15 DILEFELD, M.
Gearless drives for high capacity belt conveyors.
Cem Int 2015 May/June; 13(3): 48-51
E3907-08.
Control No. : 41210
- 16 EDELKOTT, D., et al
Operating experience with the high-dust SCR technology.

curlst.txt

Cem Int 2015 July/August; 13(4): 46-59
E3907-08 .
Control No. : 41216

- 17 ELLIS, I. and GASSON, P.
Innovative approach to achieving watertight concrete .
Concrete (London) 2015 March; 49(2): 29-30
E3907-08.
Control No. : 41180

** - Keywords

2

□

- 18 EOM, T.S., et al
Energy-based hysteresis model for reinforced concrete
beam-column connections .
ACI Mater J 2015 Mar-Apr; 112(2): 157-78
E3907-08.
Control No. : 41201
- 19 FORSTHOFF, W.
Planning and operating a lime plant - experience and
considerations. Part 1 : Raw materials extraction and
processing .
Cem Int 2015 May/June; 13(3): 32-41
E3907-08.
Control No. : 41208
- 20 FUELLMANN, T., et al
Determination of amorphous phases in blended cements
and hydrated cementitious systems.
Cem Int 2015 July/August; 13(4)
E3907-08.
Control No. : 41219
- 21 GLORIA, A.B., et al
Influence of visco-elasticity on the stress development
induced by alkali-silica reaction .
Cem Concr Res 2015 April; 70: 1-8
E3907-08.
Control No. : 41187
- 22 GOODIER, C. and DUNNE, D.
Chloride transport in concrete specification, testing and
modelling.
Concrete (London) 2015 March; 49(2): 52-54
E3907-08.
Control No. : 41185
- 23 GOSSAI, A.
Road ahead for roads sector.
Civ Eng Constr Rev 2015 February; 28(2): 40-41
E3907-08.
Control No. : 41220

curlst.txt

- 24 GREEN, P.
Water-resistant concrete : Reducing the risk of failure.
Concrete (London) 2015 March; 49(2): 26-28
E3907-08.
Control No. : 41179
- 25 GUO, H.
Evaluation of column load for generally uniform grid-
reinforced pile cap failing in punching .
ACI Struct J 2015 March-April; 112(2): 123-34
E3907-08.
Control No. : 41198
- 26 GURU VITTAL, U.K. and GANGOPADHYAY
Feasibility of using locally available materials for
rural road construction .

** - Keywords

3

□

- Civ Eng Constr Rev 2015 February; 28(2): 48-53
E3907-08.
Control No. : 41223
- 27 HABER, Z.B., et al
Behavior and simplified modeling of mechanical
reinforcing bar splices.
ACI Mater J 2015 March-April; 112(2): 179-87
E3907-08.
Control No. : 41203
- 28 HERB, M., et al
Characterization of silane-based hydrophobic admixtures
in concrete using TOF-MS.
Cem Concr Res 2015 April; 70: 77-82
E3907-08.
Control No. : 41195
- 29 HERMANN, A., et al
Proposal for the classification of alkali-activated
binders and geopolymer binders.
Cem Inter 2015 May-June; 13(3): 62-69
E 3907-08.
Control No. : 41213
- 30 HOUSTON, D., et al
Architectural quality concretes offits in top-down
construction.
Concrete (London) 2015 March; 49(2): 48-50
E3907-08.
Control No. : 41184
- 31 JAIN, P.
Asphalt construction workers and appraisal of

curlst.txt

technologies.

Civ Eng Constr Rev 2015 February; 28(2): 54-59
E3907-08.

Control No. : 41224

- 32 KANAKUBO, T. and HOSOYA, H.
Bond-splitting strength of reinforced strain-hardening
cement composite elements with small bar spacing .
ACI Mater J 2015 Mar-Apr; 112(2): 189-98
E3907-08.
Control No. : 41204
- 33 KHENI, D., et al
Ductility enhancement in beam-column connections using
hybrid fiber-reinforced concrete.
ACI Mater J 2015 Mar-Apr; 112(2): 167-78
E3907-08.
Control No. : 41202
- 34 KUBERAN, R.
Bus rapid transit system.
Civ Eng Constr Rev 2015 February; 28(2): 44-47
E3907-08.
Control No. : 41222

** - Keywords

4

□

- 35 LLOYD, C. and JAMES, G.
Assuring the design life of one of Liverpool's biggest
construction sites.
Concrete (London) 2015 March; 49(2): 20-21
E3907-08.
Control No. : 41178
- 36 MOHAMMADYAN-YASOUJ, S.E.
Wide beam shear behavior with diverse types of
reinforcement.
ACI Mater J 2015 Mar-Apr; 112(2): 199-208
E3907-08.
Control No. : 41205
- 37 MUKHOPADHYAY, M.
Use of fly ash and PPC in Tunnel construction for
enhanced durability and reduction in alkali silica
reaction .
Civ Eng Constr Rev 2015 February; 28(2): 98-101
E3907-08.
Control No. : 41232
- 38 NAGAE, T., et al
Design implications of large-scale shake-table test on
four-story reinforced concrete building.
ACI Struct J 2015 March-April; 112(2): 135-46
E3907-08.

Control No. : 41199

- 39 NORI, V.V.
Use of innovative techniques for viaduct and flyover construction .
Civ Eng Constr Rev 2015 February; 28(2): 76-83
E3907-08.
Control No. : 41228
- 40 OU, Y-C. and KURNIAWAN, D.P.
Effect of axial compression on shear behavior of high-strength reinforced concrete columns.
ACI Mater J 2015 Mar-Apr; 112(2): 209-20
E3907-08.
Control No. : 41206
- 41 PEREZ-NICOLAS, M., et al
Photocatalytic NOx abatement by calcium aluminate cements modified with TiO₂: Improved NO₂ conversion.
Cem Concr Res 2015 April; 70: 67-76
E3907-08.
Control No. : 41194
- 42 POINOT, T., et al
Influence of the polysaccharide addition method on the properties of fresh mortars.
Cem Concr Res 2015 April; 70: 50-59
E3907-08.
Control No. : 41192

** - Keywords

5

□

- 43 PULIGILLA, S. and MONDAL, P.
Co-existence of aluminosilicate and calcium silicate gel characterized through selective dissolution and FTIR spectral subtraction .
Cem Concr Res 2015 April; 70: 39-49
E3907-08.
Control No. : 41191
- 44 ROSSI DE SCHIO, C., et al
Turboden ORC (Organic Rankine Cycle) waste heat recovery system and solar thermal plant in Ait Baha, Morocco .
Cem Int 2015 July/August; 13(4): 60-63
E3907-08.
Control No. : 41217
- 45 SAELDPOUR, M., et al
Evidence for anomalous water vapor sorption kinetics in cement based materials.
Cem Concr Res 2015 April; 70: 60-66
E3907-08.

Control No. : 41193

- 46 SAINI, R.G.
Underground metro station design and challenges .
Civ Eng Constr Rev 2015 February; 28(2): 94-97
E3907-08.
Control No. : 41231
- 47 SARMA, M.S. AND SATISH CHANDRA
Lounching if full span PSC bod girder for a major railway
bridge.
Civ Eng Constr Rev 2015 February; 28(2): 90-93
E3907-08.
Control No. : 41230
- 48 SINGH, A.K., et al
Utilisation of (Linz-Donawitz Converter slag) LD slag
for the production of portland cement clinker.
Cem Inter 2015 May-June; 13(3): 70-77
E3907-08 c1202 (2016).
Control No. : 41214
- 49 SQUIRE, S.
Water-resistant concrete : All things consdiered .
Concrete (London) 2015 March; 49(2): 31-33
E3907-08.
Control No. : 41181
- 50 STOIAN, J., et al
New insights into the prehydration of cement and its
mitigation.
Cem Concr Res 2015 April; 70: 94-103
E3907-08.
Control No. : 41197
- 51 TANDON, A.
Road Projects :Challenges, trends andopportunities .
Civ Eng Constr Rev 2015 February; 28(2): 42-43

** - Keywords

6

E3907-08.
Control No. : 41221

- 52 THOMPSON, G.
Concrete industry commitment REAPs benefits.
Concrete (London) 2015 March; 49(2): p51
E3907-08.
Control No. : 41186
- 53 TROJOSKY, M.
Evaporative cooling as a method for the reduction of the
energy consumption on drying sand .
Cem Inter 2015 May-June; 13(3): 56-61

curlst.txt

- E3907-08.
Control No. : 41212
- 54 VARNEY, N.L., et al
Inverted T Beams : Experiments and strut-and-tie
modeling .
ACI Struct J 2015 March-April; 112(2): 147-56
E3907-08.
Control No. : 41200
- 55 VOLA, G. and SARANDREA, L.
Investigation and prediction of marble mechanical
degradation and dust formation during the calcination a
process in Twin Shaft Regenerative (TSR) kilns.
Cem Int 2015 May/June; 13(3): 42-47
E3907-08.
Control No. : 41209
- 56 WESCH, R., et al
Multiple-link attachments for round steel chains.
Cem Int 2015 July/August; 13(4): 64-69
E3907-08.
Control No. : 41218
- 57 WONG, H.S., et al
Hydrophobic concrete using waste paper sludge ash.
Cem Concr Res 2015 April; 70: 9-10
E3907-08.
Control No. : 41188
- 58 YUAN, H., et al
Degradation modeling of concrete submitted to biogenic
acid attack.
Cem Concr Res 2015 April; 70: 29-38
E3907-08.
Control No. : 41190

** - Keywords

7

LIST OF ARTICLES

Vol 39 No 09-10
16 May 2016

- 1 AGARWAL, H., et al
Three-dimensional numerical modelling : an effectgive
enabler for continuous miner (CM) deployment in coal
seams.
J Mine Metal Fuel 2015 May-June; 63(5-6): 111-18
E3909-10.
Control No. : 41272
- 2 ANON
PERI'S scaffolding and formwork solutions for high-rise
construction .
New Build Mater Constr World 2015 April; 20(10): 117-18
E 3909-10.
Control No. : 41285
- 3 ANON
Vertical casting system for poles and piles.
Concr Int 2015 June; 37(6)
E3909-10.
Control No. : 41264
- 4 BASISTHA, P.P..
Eqyupment makers bracing up for high-rise construction.
New Build Mater Constr World 2015 April; 20(10): 40-57
E3909-10.
Control No. : 41283
- 5 BELKOWITZ, J.S.,et al
Impact of nanosilica size and surface area on concrete
properties.
ACI Mater J 2015 May-June; 112(3): 419-28
E3909-10.
Control No. : 41241
- 6 BOSSIO, A., et al
Modeling of concrete cracking du3e to corrosion process
of reinforcement bars.
Cem Concr Res 2015 May; 71: 78-92
C 3909-10.
Control No. : 41256

- 7 CHANDRA, A.
Impacts of mine waste leachate on water quality in coal mining area with emphasis to heavy metals contamination.
J Mine Metal Fuel 2015 April; 63(4): 104-08
E3909-10.
Control No. : 41271
- 8 DALAS, F., et al
Fluidizing efficiency of comb-like superplasticizers :
The effect of the anionic function, the side chain length and the grafting degree.
Cem Concr Res 2015 May; 71: 115-23
E3909-10.
Control No. : 41259
- 9 DU, H. and TAN, K.H.
Transport properties of concrete with glass powder as supplementary cementitious material .
ACI Mater J 2015 May-June; 112(3): 429-38
E3909-10.
Control No. : 41242
- 10 FREYNE, S.F., et al
Acceptable vibration on green concrete.
ACI Mater J 2015 May-June; 112(3): 471-76
E3909-10.
Control No. : 41246
- 11 GHAZY, M.F. and EL HAMEED, M.F.A.
Optimization of lightweight concrete process by gray-taguchi method.
ACI Mater J 2015 May-June; 112(3): 365-74
E 3909-10.
Control No. : 41235
- 12 GHOSH, A.
A cement perspective.
New Build Mater Constr World 2015 April; 20(10): 110-17
E3909-10.
Control No. : 41286
- 13 GILSANZ, R., et al
High rise by the high line.
Concr Int 2015 June; 37(6): 37-42
E3909-10.
Control No. : 41263

- 14 GRAFF, K. and HOVER, S.
Modeling and forming the Turkish American community center : 3-D models facilitate the construction of a complex reinforced concrete structure.
Concr Int 2015 June; 37(6): 26-30
E 3909-10.
Control No. : 41261
- 15 GUPTA, S.
Use of nano-silica in concrete : A review.
New Build Mater Constr World 2015 April; 20(10): P118
E 3909-10.
Control No. : 41287
- 16 HAFID, H., et al
Assessment of potential concrete and mortar rheometry artifacts using magnetic resonance imaging.
Cem Concr Res 2015 May; 71: 29-35
E 3909-10.

** mortar rheometry.
Control No. : 41251
- 17 HATI, A.S. and CHATTERJEE, T.K.
Axial leakage flux based on line condition monitoring instrumentation system for mine-winder motor.
J Mine Metal Fuel 2015 May-June; 63(5-6): 132-40
E3909-10.
Control No. : 41275
- 18 HEDEBRATT, J. and SILFWERBRAND, J.
Time-dependent deflections of a steel fiber concrete slab .
Concr Int 2015 July; 37(7): 46-52
E3909-10.
Control No. : 41266
- 19 JASICZAK, J., et al
Construction of undulating walls using dry-mix shotcrete.
Concr Int 2015 June; 37(6): 31-36
E3909-10.
Control No. : 41262

- 20 JI, T., et al
Effect of lightweight aggregate on early-age autogenous shrinkage of concrete.
ACI Mater J 2015 May-June; 112(3): 355-64
E3909-10.
Control No. : 41234
- 21 JIMENEZ-RELINGUE, E., et al
Characteristics and efficiency of photocatalytic cementitious materials : Type of binder, roughness and microstructure.
Cem Concr Res 2015 May; 71: 124-31
E39-09-10.

** photocatalytic, roughness, microstructure.
Control No. : 41260
- 22 KIM, T., et al
Alkali-silica areaction : Kinetics of chemistry of pore solution and calcium hydroxide content in cementitious system .
Cem Concr Res 2015 May; 71: 36-45
E3909-10.

** calcium hydroxide.
Control No. : 41252
- 23 KNAACK, A.M. and KURAMA, Y.C.
Creep and shrinkage of normal-strength concrete with recycled concrete aggregates .
ACI Mater J 2015 May-June; 112(3): 451-62
E3909-10.
Control No. : 41244
- 24 LAVERGNE, F., et al
Investigation of the effect of aggregates morphology on concrete creep properties by numerical simulations.
Cem Concr Res 2015 May; 71: 14-28
E 3909-10.
** morphology on concrete.
Control No. : 41250

- 25 MO, L., et al
Deformation and mechanical properties of quaternary blended cement containing ground granulated blast furnace slag, fly ash and magnesia.
Cem Concr Res 2015 May; 71: 7-13
E3909-10.
** ground granulated, blast furnace slag, fly ash and magnesia.
Control No. : 41249
- 26 MOON, J., et al
Mechanical properties of jennite : A theoretical and experimental study.
Cem Concr Res 2015 May; 71: 106-14
E 3909-10.
Control No. : 41258
- 27 NORI, V.V.
Innovative precast concrete structures :An Indian experience.
New Build Mater Constr World 2015 February; 20(8): 76-89
E3909-10.
Control No. : 41278
- 28 PANDEY, J.K., et al
Ventilation on demand for improving viability of underground mines in India.
J Mine Metal Fuel 2015 May-June; 63(5-6): 119-25
E3909-10.
Control No. : 41273
- 29 PRASAD, C.A.
Suitability of precast systems for different needs.
New Build Mater Constr World 2015 February; 20(8): 60
E3909-10.
Control No. : 41277
- 30 PRASITTISOPIN, L. and TREJO, D.
Effects of mixing variables on hardened characteristics of portland cement mortars.
ACI Mater J 2015 May-June; 112(3): 399-408
E3909-10.
Control No. : 41239

- 31 QING-HUA, G., et al
Automatic transportation management system of vehicles in open pit based on 3PGS (three point guarding system) and GPS .
J Mine Metal Fuel 2015 May-June; 63(5-6): 126-31
E3909-10.
Control No. : 41274
- 32 RAINA, A.K., et al
Electronic detonators : the psychological edge.
J Mine Metal Fuel 2015 April; 63(4): 88-96
E3909-10.
Control No. : 41269
- 33 RAINA, A.K., et al
Mitigation of human response to blating : A case study .
J Mine Metal Fuel 2015 April; 63(4): 97-103
E3909-10.
Control No. : 41270
- 34 RICHARDSON, D.N. and DAVIS, C.P.
Particle size and specimen preparation effects on Iowa Pore Index.
ACI Mater J 2015 May-June; 112(3): 477-85
E3909-10.
Control No. : 41247
- 35 RICHARDSON, P.N, AND LUSHAR, S.M.
Prediction of freezing-and-thawing durability of concrete
ACI Mater J 2015 May-June; 112(3): 439-50
E3909-10.
Control No. : 41243
- 36 ROBERTSON, I.N. and JOHNSON, G.P.
Learning through hands-on reinforced concrete beam experiments.
Concr Int 2015 July; 37(7): 49-45
E3909-10.
Control No. : 41265
- 37 SARATHY, M.O.
Bench blasting : Objectives and best practices - a recap.
J Mine Metal Fuel 2015 April; 63(4): 75-82
E3909-10.
Control No. : 41268

- 38 SCHIPPER, H.R.
Production of curved precast concrete elements for shell structures and free-form architecture using the flexible mould method .
New Build Mater Constr World 2015 February; 20(8): 100-112
E3909-10.
Control No. : 41280
- 39 SERDAR, M., et al
Spatial distribution of crystalline corrosion products formed during corrosion of stainless steel concrete.
Cem Concr Res 2015 May; 71: 93-105
E 3909-10.

** crystalline corrosion, stainless steel.
Control No. : 41257
- 40 SEVELSTED, T.F. and SKIBSTED, J.
Carbonation of C-S-H and C-A-S-H samples studied by ¹³C, ²⁷Al and ²⁹Si MAS NMR spectroscopy.
Cem Concr Res 2015 May; 71: 56-65
E 3909-10.
Control No. : 41254
- 41 SINGH, A.K. and JHA, A.K.
Radio Frequency Identification (RFID) based tracking of explosives and accessories.
J Mine Metal Fuel 2015 April; 63(4): 69-74
E 3909-10.
Control No. : 41267
- 42 SINGH,R.P. and AGARWAL. P.
Prediction of compressive strength of concrete containing nano-silica using fuzzy logic .
New Build Mater Constr World 2015 February; 20(8): 168-72
E 3909-10.
Control No. : 41282

- 43 SONG, F., et al
Microstructure of amorphous aluminum hydroxide in belite-calcium sulfoaluminate cement .
Cem Concr Res 2015 May; 71: 1-6
E3909-10.

** belite-calcium, sulfoaluminate.
Control No. : 41248
- 44 SURLAKER, S.
Waterproofing - The quality factor, Materials and detailing .
New Build Mater Constr World 2015 April; 20(10): 104-09
E 3909-10.
Control No. : 41284
- 45 SURYA PRAKASH, P.
Precast technology for low cost housing schemes in India.
New Build Mater Constr World 2015 February; 20(8): 90-99
E3909-10.
Control No. : 41279
- 46 TERMKHAJORNKIT, P., et al
Microstructurally-designed cement pastes _ A mimic strategy to determine the relationships between microstructure and properties at any hydration degree .
Cem Concr Res 2015 May; 71: 66-77
E3909-10.

** microstructure, cement paste, mimic strategy .
Control No. : 41255
- 47 TREJO, D. and PRASITTISOPIN, L.
Chemical transformation of rice husk ash morphology .
ACI Mater J 2015 May-June; 112(3): 385-92
E3909-10.

Control No. : 41237
- 48 VAGHANI, M.
Seismic retrofitting of RC beam-column connections.
New Build Mater Constr World 2015 February; 20(8): 156-67
E 3909-10.
Control No. : 41281

- 49 WANG, F., et al
Study on mechanism of desorption behavior of saturated
superabsorbent polymers in concrete.
ACI Mater J 2015 May-June; 112(3): 463-70
E3909-10.
Control No. : 41245
- 50 WATKINS, K., et al
Characterization of coal fly ash by absolute foam index.
ACI Mater J 2015 May-June; 112(3): 393-98
E3909-10.
Control No. : 41238
- 51 XIAO, J., et al
Compressive behavior of recycled aggregate concrete under
impact loading .
Cem Concr Res 2015 May; 71: 46-55
E3909-10.

** recycled aggregate.
Control No. : 41253
- 52 YILDIRIM, G., et al
Effects of compressive strength, autogenous shrinkage,
and testing methods on bond behavior of high-early-
strength engineered cementitious composites .
ACI Mater J 2015 May-June; 112(3): 409-18
E3909-10.
Control No. : 41240
- 53 ZHANG, H.Y., et al
Effect of carbon fibers on thermal and mechanical
properties of metakaolin fly-ash-based geopolymers .
ACI Mater J 2015 May-June; 112(3): 375-84
E3909-10.
Control No. : 41236
- 54 ZHAO, XIANG, C.
Analysis and application of mine air heat-sink capacity
in deep mine heat hazard control.
J Mine Metal Fuel 2015 May-June; 63(5-6): 141-45
E3909-10.
Control No. : 41276

list of Articles

- 1 BAI, K., et al
Comprehensive evaluation method by radar chart for
improving drilling rate in the jiaoshiba region.
J Mine Metal Fuel 2015 October; 63(10): 383-88
E 3913-14.
Control No. : 41379
- 2 BAQUERIZO, L.G., et al
Hydration states of AFm cement phases .
Cem Concr Res 2015 July; 73: 143-57
E 3913-14.
Control No. : 41354
- 3 BAUEREGGER, S., et al
Impact of carboxylated styrene-butadiene copolymer on
the hydration kinetics of OPC and OPC/CAC/AH : The
effect of CA²⁺ sequestration from pore solution.
Cem Concr Res 2015 July; 73: 184-89
E 3913-14.
Control No. : 41357
- 4 BERODIER, E. and SCRIVENER, K.
Evolution of pore structure in blended systems.
Cem Concr Res 2015 July; 73: 25-35
E 3913-14.
Control No. : 41345
- 5 BERRY, M., et al
Optimization of concrete mixtures containing reclaimed
asphalt pavement.
ACI Mater J 2015 Nov-Dec; 112(6): 723-34
E 3913-14.
Control No. : 41383
- 6 BOSHEN, Z., et al
Research on the surface mine group procedure and
optimization evaluation.
J Mine Metal Fuel 2015 October; 63(10): 307-14
E 3913-14.
Control No. : 41368
- 7 CHEN, F.
System dynamic simulation research on supply chain
pricing of mineral resources : taking copper as a
example .
J Mine Metal Fuel 2015 October; 63(10): 322
E 3913-14.
Control No. : 41370
- 8 CHENG, Y., et al
Defects visualization using acoustic emission tomography
technique.
ACI Mater J 2015 Nov-Dec; 112(6): 755-66

E3913-14.
Control No. : 41386

- 9 COLOMBO, I.G., et al
Tensile behavior of textile reinforced concrete subjected to freezing-thawing cycles in un-cracked and cracked regimes .
Cem Concr Res 2015 July; 73: 169-83
E 3913-14.
Control No. : 41356
- 10 DAS, S., et al
Fracture process zone and tensile behavior of blended binders containing limestone powder.
Cem Concr Res 2015 July; 73: 51-69
E 3913-14.
Control No. : 41348
- 11 DU, J., et al
Study on disturbance parameter of rock mass under blasting and excavation.
J Mine Metal Fuel 2015 October; 63(10): 336-42
E 3913-14.
Control No. : 41372
- 12 DUBINA, E., et al
Impact of water vapour and carbon dioxide on surface composition of C3A polymorphs studied by X-ray photoelectron spectroscopy.
Cem Concr Res 2015 July; 73: 36-41
E 3913-14.
Control No. : 41346
- 13 DUEE, C., et al
Phosphorous speciation in dicalcium silicate phases : application to the basic oxygen furnace (BOF) slag.
Cem Concr Res 2015 July; 73: 207-14
E 3913-14.
Control No. : 41359
- 14 DURDZINSKI. P.T., et al
New quantification method based on SEM-EDS to assess fly ash composition and study the reaction of its individual components in hydrating cement paste.
Cem Concr Res 2015 July; 73: 111-22
E 3913-14.
Control No. : 41351
- 15 GANDAGE, A.S., et al
Thermal conductivity studies for self-consolidating concrete with sand and fly ash variation .
ACI Mater J 2015 Nov-Dec; 112(6): 709-22
E 3913-14.
Control No. : 41382
- 16 GENXIA, W. and FEI, W.
Optimizing the weightsolving of coal mine safety evaluation index.

J Mine Metal Fuel 2015 October; 63(10): 315-21
E 3913-14.
Control No. : 41369

- 17 GESOGLU, M., et al
Internal curing of high-strength concretes using artificial aggregates as water reservoirs .
Cem Concr Res 2015 Nov-Dec; 112(6): 809-20
E 3913-14.
Control No. : 41392
- 18 GISMERA-DIEZ, S. , et al
Effect of BaCO₃ on C3A hydration.
Cem Concr Res 2015 July; 73: 70-95
E 3913-14.
Control No. : 41349
- 19 HAIYAN, W., et al
Virtual reality simulator of mine fire integrated with CFD data and its application .
J Mine Metal Fuel 2015 October; 63(10): 285-91
E3913-14.
Control No. : 41365
- 20 HOSSACK, A.M. AND THOMAS, M.D.A.
Effect of temperature on the rate of sulfate attack of portland cement blended mortars in Na₂SO₄ solution .
Cem Concr Res 2015 July; 73: 136-42
E 3913-14.
Control No. : 41353
- 21 HUALEI, Z., et al
Study on the overburden rock displacement laws of the CSA (combustion space area) of underground coal gasification under the action of thermal mechanical coupling.
J Mine Metal Fuel 2015 October; 63(10): 356-62
E 3913-14.
Control No. : 41375
- 22 IRSHIDAT, M.R., et al
Effect of nanoclay on expansive potential of cement mortar due to alkali-silica reaction.
Cem Concr Res 2015 Nov-Dec; 112(6): 801-08
E 3913-14.
Control No. : 41391
- 23 KONG, L. and GE, Y.
Mechanism study of effect of coarse aggregate size on permeability of concrete.
ACI Mater J 2015 Nov-Dec; 112(6): 767-74
E3913-14.
Control No. : 41387
- 24 LEE, C.H. and HOVER, K.C.
Influence of datum temperature and activation energy on maturity strength predictions.
ACI Mater J 2015 Nov-Dec; 112(6): 781-90
E3913-14.

Control No. : 41389

- 25 LI, Y-B. , et al
Research and design new of wireless multi-component seismic and advanced detection system in mine.
J Mine Metal Fuel 2015 October; 63(10): 377-82
E 3913-14.
Control No. : 41378
- 26 LI, Y.
Time space effect analysis on displacement of deep excavation of a subway station in Chengdu.
J Mine Metal Fuel 2015 October; 63(10): 302-06
E3913-14.
Control No. : 41367
- 27 LI, Z., et al
Study on mechanism of failure evolvement and stability of locked up slope.
J Mine Metal Fuel 2015 October; 63(10): 279-84
E3913-14.
Control No. : 41364
- 28 LUKOVIC, M., et al
Combined experimental and numerical study of fracture behaviour of cement paste at the microlevel.
Cem Concr Res 2015 July; 73: 123-29
E 3913-14.
Control No. : 41352
- 29 MacMASTER, D. and TAVARES, O.
Carbon sequestration of concrete masonry units.
ACI Mater J 2015 Nov-Dec; 112(6): 775-80
E3913-14.
Control No. : 41388
- 30 MARUYAMA, I., et al
Bimodel behavior of C-S-H interpreted from short-term length change and water vapor sorption isotherms of hardened cement paste .
Cem Concr Res 2015 July; 73: 158-68
E 3913-14.
Control No. : 41355
- 31 MAYERCSIK, N.P., et al
Analysis of portland cement mortar under impact : a combined material characterization, micromechanics modeling , and dynamic testing approach.
Cem Concr Res 2015 July; 73: 190-206
E 3913-14 .
Control No. : 41358
- 32 NAYAR, S.K., et al
Synergy in toughness by incorporating amorphous metal and steel fibers.

- Cem Concr Res 2015 Nov-Dec; 112(6): 821-28
E 3913-14.
Control No. : 41393
- 33 ONG, F.S. et al
Freezing and thawing behavior of cementitious systems
with new polymeric microspher-based admixture .
ACI Mater J 2015 Nov-Dec; 112(6): 735-44
E 3913-14.
Control No. : 41384
- 34 PALIN, D., et al
Autogenous healing of marine exposed concrete :
Characterization and quantification through visual crack
closure.
Cem Concr Res 2015 July; 73: 17-24
E 3913-14 .
Control No. : 41344
- 35 PARVEEN, S., et al
Microstructure and mechanical properties of carbon
nanotube reinforced cementitious composites developed
using a novel dispersion technique.
Cem Concr Res 2015 July; 73: 215-27
E 3913-14.
Control No. : 41360
- 36 PEYRE LAVIGNE, M., et al
Innovative approach to reproduce the biodeterioration of
industrial cementitious products in a sewer environment.
Part I : Test design .
Cem Concr Res 2015 July; 73: 246-56
E 3913-14.
Control No. : 41363
- 37 QU, X-Y.
Characteristics and stability analysis of dawsonite in
sandstone.
J Mine Metal Fuel 2015 October; 63(10): 369-76
E 3913-14.
Control No. : 41377
- 38 RODRIGUES, A., et al
New accelerated mortar bar test to assess the potential
deleterious effect of sulfide-bearing aggregate in
concrete .
Cem Concr Res 2015 July; 73: 96-110
E 3913-14.
Control No. : 41350
- 39 ROOSZ, c., et al
Crystal structure of magnesium silicate hydrates (M-S-H)
: the relation with 2 : 1 Mg-Si phyllosilicates.
Cem Concr Res 2015 July; 73: 228-37
E 3913-14.
Control No. : 41361

- 40 SHI, M., et al
Probabilistic maximum safe slope angle estimation using bayes method with prior information provided by virtual excavation.
J Mine Metal Fuel 2015 October; 63(10): 343-47
E 3913-14.
Control No. : 41373
- 41 SOWOJDNICH, T., et al
Calcium complexation and cluster formation as principal modes of action of polymers used as superplasticizer in cement systems.
Cem Concr Res 2015 July; 73: 42-50
E 3913-14.
Control No. : 41347
- 42 TORRES-CARRASCO, M., et al
Durability of alkali-activated slag concretes prepared using waste glass as alternative activator.
ACI Mater J 2015 Nov-Dec; 112(6): 791-800
E3913-14.
Control No. : 41390
- 43 TREJO, D. and CHEN, J.
Influence of mixing time on fresh and hardened concrete characteristics.
ACI Mater J 2015 Nov-Dec; 112(6): 745-54
E3913-14.
Control No. : 41385
- 44 WANG, C. and BAU, Y.
Prediction control for construction of long-span continuous girder bridge based on improved grey GM (1,1) model.
J Mine Metal Fuel 2015 October; 63(10): 331-35
E 3913-14.
Control No. : 41371
- 45 WANG, X. and XU, J.
Numerical simulation and verification for monitoring of ground surface subsidence in shallow tunnel by excavation .
J Mine Metal Fuel 2015 October; 63(10): 348-55
E 3913-14.
Control No. : 41374
- 46 WEI, J. and MEYER, C.
Degradation mechanism of natural fiber in the matrix of cement composites.
Cem Concr Res 2015 July; 73: 1-16
E 3913-14.
Control No. : 41343
- 47 WYRZYKOWSKI, M., et al
Plastic shrinkage of mortars with shrinkage reducing admixture and lightweight aggregates studied by neutron tomography.
Cem Concr Res 2015 July; 73: 238-45

E 3913-14.
Control No. : 41362

- 48 YUAN, M., et al
Prediction model of flatness error in micro milling of
304 stainless steel.
J Mine Metal Fuel 2015 October; 63(10): 393-96
E 3913-14.
Control No. : 41381
- 49 YUTAN, D., et al
Prestack reservoir prediction for carbonate fracture-
cavity reservoir - a case study in THB area of Ordos
basin.
J Mine Metal Fuel 2015 October; 63(10): 363-68
E 3913-14.
Control No. : 41376
- 50 ZHANG, X., et al
Numerical analysis on stability of modifying support of
large cross-section tunnel in shallow expansive soil.
J Mine Metal Fuel 2015 October; 63(10): 292-301
E3913-14.
Control No. : 41366
- 51 ZHONG, W., et al
Granular mesomechanics 2-D constitutive relation of soil
rock mixtures in open-pit mine .
J Mine Metal Fuel 2015 October; 63(10): 389-92
E 3913-14.
Control No. : 41380

list of Articles

- 1 AUROY, M., et al
Impact of carbonation on unsaturated water transport properties of cement-based materials .
Cem Concr Res 2015 August; 74: 44-58
E 3915-16.
Control No. : 41431
- 2 BAMANE, N.N.
Construction of desilting chamber for the Kol dam hydroelectric power projects.
Indian Concr Jl 2015 October; 89(10): 15-27
E 3915-16.
Control No. : 41416
- 3 BULLARD, J.W., et al
Time dependent driving forces and the kinetics of tricalcium silicate hydration.
Cem Concr Res 2015 August; 74: 26-34
E 3915-16.
Control No. : 41429
- 4 CHAUDHURY, S.
High strength concrete without use of cementitious additive .
Indian Concr Jl 2015 October; 89(10): 84-88
E 3915-16.
Control No. : 41424
- 5 CHAUDHURY, S.
Use of free flow concrete for arch infill at Chenab bridge project.
Indian Concr Jl 2015 October; 89(10): 63-71
E 3915-16.
Control No. : 41421
- 6 CHORE, H.S. and JOSHI, M.P.
Multiple regression models for prediction of compressive strength of concrete comprising industrial waste products
Indian Concr Jl 2015 September; 89(9): 33-46
E 3915-16.
Control No. : 41413
- 7 CHOUDHURY, D.
Sustainable architecture and human senses.
Indian Concr J 2015 July; 89(7): 13-19
E3915-16.
Control No. : 41394
- 8 DIVYA KRISHNAN, K., et al
Effect of phosphogypsum and fly ash stabilisation on the strength and microstructure of clay .
Indian Concr J 2015 July; 89(7): 81-86
C 3915-16.

Control No. : 41402

- 9 DUFFO, G., et al
Application of gamma-ray radiography and gravimetric measurements after accelerated measurements after accelerated corrosion tests of steel embedded in mortar.
Cem Concr Res 2015 August; 74: 1-9
E 3915-16.
Control No. : 41426
- 10 GALAN, I., et al
Assessment of the projective effect of carbonation on portlandite crystals .
Cem Concr Res 2015 August; 74: 68-77
E 3915-16.
Control No. : 41433
- 11 GANESAN, N., et al
Development of stress block parameters for geopolymer concrete.
Indian Concr Jl 2015 September; 89(9): 47-58
E 3915-16.
Control No. : 41414
- 12 GARDNER, L.J., et al
Characterisation of magnesium potassium phosphate cements blended with fly ash and ground granulated blast furnace slag.
Cem Concr Res 2015 August; 74: 78-87
E 3915-16.
Control No. : 41434
- 13 GHALI, A., et al
Design of concrete slabs for punching shear : Controversial concepts.
ACI Struct J 2015 Jul-Aug; 112(4): 505-14
E 3915-16.
Control No. : 41447
- 14 GOPALAKRISHNAN, R.
A case study of settlement and ground improvement techniques implemented in LNG marine at Kochi .
Indian Concr Jl 2015 October; 89(10): 42-58
E 3915-16.
Control No. : 41419
- 15 GUTBERLET, T., et al
Acid attack on hydrated cement - Effect of mineral acids on the degradation process.
Cem Concr Res 2015 August; 74: 35-43
E 3915-16.
Control No. : 41430
- 16 HASHMI, A.K.
Preliminary seismic evaluation aid for reinforced concrete framed structures based on IS 15988 (2013) guidelines.
Indian Concr Jl 2015 September; 89(9): 12-16

E3915-16.
Control No. : 41410

- 17 HAZAREE, C., et al
Are specifications impeding sustainability of concrete ?
Indian Concr J 2015 July; 89(7): 52-63
E 3915-16.
Control No. : 41399
- 18 influence of superabsorbent polymers on the autogenous
shrinkage properties of cement pastes with supplementary
cementitious materials.
Cem Concr Res 2015 August; 74: 59-67
E 3915-16.
Control No. : 41432
- 19 JAIN, S., et al
Dynamic response of reinforced concrete wall under blast
loading .
Indian Concr J 2015 August; 89(8): 27-41
E 3915-16.
Control No. : 41406
- 20 JANVEJA, A. and SHARMA, S.K.
Effect of partial replacement of sand with foundry slag
on strength of concrete .
Indian Concr J 2015 July; 89(7): 64-73
E 3915-16.
Control No. : 41400
- 21 JIMENEZ-RELINQUE, E. and CASTELLOTE, M.
Quantification of hydroxyl radicals on cementitious
materials by fluorescence spectrophotometry as a method
to assess the photocatalytic activity.
Cem Concr Res 2015 August; 74: 108-115
E 3915-16.
Control No. : 41437
- 22 KAMARAJ, N., et al
Study on bio-stabilisation of problematic soils.
Indian Concr J 2015 July; 89(7): 87-93
E 3915-16.
Control No. : 41403
- 23 KANNAMMA; D. and MEENATCHI SUNDARAM, A.
Empirical study on the interaction between vegetation and
street geometry elements towards ambient urban
microclimate.
Indian Concr J 2015 July; 89(7): 20-27
E3915-16.
Control No. : 41395
- 24 KIM, Y.H. and TREJO, D.
Large-diameter shear connector systems for full-depth
precast overhang panels : Evaluation and design.
ACI Struct J 2015 Jul-Aug; 112(4): 439-50
C 1204 (2016).
Control No. : 41441

- 25 KIM, Y.J. and KHAN, F.
Creep-induced distress on flexural behavior of reinforced concrete beams retrofitted with near-surface-mounted carbon fiber-reinforced polymer .
ACI Struct J 2015 Jul-Aug; 112(4): 493-504
E 3915-16.
Control No. : 41446
- 26 KISIN, A. and FELDMAN, L.R.
Corrective measures for noncontact splices in concrete block masonry.
ACI Struct J 2015 Jul-Aug; 112(4): 475-84
E 3915-16.
Control No. : 41444
- 27 KRISHNA RAO, M.V., et al
Effect of rate of loading on the strength and stress-strain behaviour of recycled aggregate concrete .
Indian Concr J1 2015 September; 89(9): 26-32
E 3915-16.
Control No. : 41412
- 28 LANTSOGHT, E.O.L., et al
One-way slabs subjected to combination of loads failing in shear .
ACI Struct J 2015 Jul-Aug; 112(4): 417-26
E 3915-16.
Control No. : 41439
- 29 LEE, J.K. and LEE, S.H.
Flexural behavior of ultra-high-performance fiber-reinforced concrete moment connection for precast concrete decks .
ACI Struct J 2015 Jul-Aug; 112(4): 451-62
E 3915-16.
Control No. : 41442
- 30 LIU, Z. and HANSEN, W.
Freezing characteristics of air-entrained concrete in the presence of deicing salt .
Cem Concr Res 2015 August; 74: 19-18
E 3915-16.
Control No. : 41427
- 31 LO VERSA, V..M., et al
Novel translucent concrete panel with waste glass inclusions for architectural applications.
Indian Concr J 2015 July; 89(7): 34-42
E3915-16.
Control No. : 41397
- 32 MAJEED, A.Z., et al
Mechanics-driven hand calculation approach for obtaining design P-M interaction curves of RC sections.
Indian Concr J1 2015 September; 89(9): 59-68
E 3915-16.
Control No. : 41415

- 33 MALA, B.
Jetty work by innovative technique.
Indian Concr Jl 2015 October; 89(10): 59-62
E 3915-16.
Control No. : 41420
- 34 MENDOZA, O., et al
Structural and nano-mechanical properties of calcium silicate hydrate (C-S-H) formed from the hydration in the presence of sodium and potassium hydroxide.
Cem Concr Res 2015 August; 74: 88-94
E 3915-16.
Control No. : 41435
- 35 MISHRA, A.K.
Innovation on testing of steel fibre reinforced shotcrete at Rohtang highway tunnel project .
Indian Concr Jl 2015 October; 89(10): 72-75
E 3915-16.
Control No. : 41422
- 36 MISHRA, A.K.
Business innovation on ROWA - a modern high-performance machine for tunneling at Rohtang highway highway tunnel project.
Indian Concr Jl 2015 October; 89(10): 37-41
E 3915-16.
Control No. : 41418
- 37 MISHRA, N. and VASUGI, V.
Experimental assessment of properties of ternary blended concrete using GGBS and ceramic powder.
Indian Concr J 2015 July; 89(7): 74-80
3915-16.
Control No. : 41401
- 38 MISHRA, S., et al
Effect of column cross section geometry on response modification factors.
Indian Concr J 2015 August; 89(8): 11-19
E 3915-16.
Control No. : 41404
- 39 MONTI, G. and PETRONE, F.
Yield and ultimate moment and curvature closed-form equations for reinforced concrete sections.
ACI Struct J 2015 Jul-Aug; 112(4): 463-74
E 3915-16.
Control No. : 41443
- 40 MULLER, A.C.A., et al
Influence of silica fume on the microstructure of cement pastes : New insights from 1H NMR relaxometry.
Cem Concr Res 2015 August; 74: 116-25
E 3915-16.
Control No. : 41438

- 41 MURANAL, S.M. and KHADIRANAIIKAR, R.B.
Quantification of hydration products in reactive powder
concrete.
Indian Concr Jl 2015 August; 89(8): 64-71
E 3915-16.
Control No. : 41409
- 42 NARVEKAR, S.G.
Metakaoline an alternate to microsilica in high strength
concrete.
Indian Concr Jl 2015 October; 89(10): 76-93
E 3915-16.
Control No. : 41423
- 43 NGUGEN, T.T.H., et al
Coupled carbonation-rust formation damaged modelling and
simulation of steel corrosion in 3D mesoscale reinforced
concrete .
Cem Concr Res 2015 August; 74: E 3915-16
C 1204 (2016).
Control No. : 41436
- 44 PANCHMATIA, P., et al
Electrical conductivity of concrete : The effects of
temperature, saturation and air cement.
Indian Concr Jl 2015 September; 89(9): 17-25
E3915-16.
Control No. : 41411
- 45 PATAGUNDI, B.R. and PRAKASH, K.B.
Effectg of chloride attack on the properties of SFRC
containing waste glass powder as pozzolana.
Indian Concr J 2015 July; 89(7): 43-51
E3915-16.
Control No. : 41398
- 46 PRADE, F., et al
Observing the setting and hardening of cementitious
materials by X-ray dark field radiography .
Cem Concr Res 2015 August; 74: 19-25
E 3915-16.
Control No. : 41428
- 47 RAJA RAJAN, K.
Influence of geotechnical engineering for operational
excellenece in infrastructure projects.
Indian Concr J 2015 October; 89(10): 89-100
E 3915-16.
Control No. : 41425
- 48 SATYANARAYANA,G., et al
Studies on energy absorption capacity of two way slabs
with blended pozzolanic concretes subjectd to flexure.
Indian Concr Jl 2015 August; 89(8): 54-63
Control No. : 41408

- 49 SHUKLA, R.
Launching of PSC I-girder for the most critical span over
central railway track portion in Mihan flyover cum
interchange project.
Indian Concr J1 2015 October; 89(10): 28-36
E 3915-16.
Control No. : 41417
- 50 SUN, Y., et al
Benefits and chalalenges of using carbon nanotubes and
carbon nanofibres in cement-based composites.
Indian Concr J1 2015 August; 89(8): 42-53
E 3915-16.
Control No. : 41407
- 51 VIGNESH BHARATHY, K., et al
Herbocrete - An effective use of natural admixtures in
concrete.
Indian Concr J 2015 July; 89(7): 28-33
E3915-16.
Control No. : 41396
- 52 WANI, M.
Quadruple blend (cement, fly ash, slag and ultra-fine
slag) for mass concrete for high-rise construction
buildings .
Indian Concr J 2015 August; 89(8): 20-26
E 3915-16.
Control No. : 41405
- 53 XIAO, J., et al
Seismic performance of precast recycled concrete frame
structure .
ACI Struct J 2015 Jul-Aug; 112(4): 515-24
E 3915-16.
Control No. : 41448
- 54 XIAO, Y., et al
Collapse test of three-story half-scale reinforced
concrete frame building .
ACI Struct J 2015 Jul-Aug; 112(4): 427-38
E 3915-16.
Control No. : 41440
- 55 YANG, K-H. and ASHOUR, A.F.
Modification factor for shear capacity of lightweight
concrete beams.
ACI Struct J 2015 Jul-Aug; 112(4): 485-92
E 3915-16.
Control No. : 41445

list of Articles

- 1 ANON
Drone companies set sights on construction industry.
Concr Inter 2015 Sept; 37(9): 34-35
E 3917-18.
Control No. : 41498
- 2 ANON
Export Links and environmental leaps : Cement exports
from Pakistan.
World Cem 2015 October;; 30-36
E 3917-18.
Control No. : 41486
- 3 ANON
Highly automated precast panel plant.
Concr Inter 2015 Oct; 37(10): 51-52
E 3917-18.
Control No. : 41505
- 4 ANON
IDM (Information Delivery Manual) for cast-in-place
concrete.
Concr Inter 2015 Sept; 37(9): 44-45
E 3917-18.
Control No. : 41501
- 5 BADRY, F., et al
Effect of cone lift rate on the flow time of self-
compacting concrete .
Mag Concr Res 2016 January; 68(1 & 2): 80-86
E 3917-18.
Control No. : 41482
- 6 BAIG, Z.I., et al
Punching of slab-column connections strengthened using
external steel shear bolts.
Mag Concr Res 2016 January; 68(1 & 2): 55-68
E 3917-18.
Control No. : 41480
- 7 BAUSCHER, J.
Clearing the air : Explains the concerns with fans in
cement plants .
World Cem 2015 October;; 49-50
E 3917-18.
Control No. : 41489
- 8 BAYLEY, M.
Above the belt : Best practices for safe, reliable and
productive conveyor belts in cement plants .
World Cem 2015 October;; 73-76
E 3917-18.
Control No. : 41493

- 9 BEHROUZI, A.
Physical models in the reinforced concrete design
classroom.
Concr Inter 2015 Sept; 37(9): 36-40
E 3917-18.
Control No. : 41499
- 10 BOMPA, D.V. and ONET, T.
Punching shear strength of RC flat slabs at interior
connections to columns.
Mag Concr Res January 2016; 68(1 & 2): 24-42
E 3917-18.
Control No. : 41478
- 11 BUTTRESS, A.J., et al
Understanding the sacabbling of concrete using microwave
energy.
Cem Concr Res 2015 September; 75: 75-103
E 3917-18.
Control No. : 41456
- 12 CARDOSO, F.A., et al
Parallel-plate rotational rheometry of cement paste :
Influence of the squeeze velocity during gap positioning.
Cem Concr Res 2015 September; 75: 66-74
E 3917-18.
Control No. : 41455
- 13 CELLA, F.
First 3D-printed equipment in the lime industry : The
benefits of 3D printing and additive manufacturing .
World Cem 2015 October;;: 77-79
E 3917-18.
Control No. : 41494
- 14 CHEN, D.
Optimising measures : An analysis of the compressed
combined grindign system with the application of a
crushing-separator .
World Cem 2015 October;;: 51-56
E 3917-18.
Control No. : 41490
- 15 CHEN, S.
Waste disposal in the Chinese cement industry.
World Cem 2015 October;;: 43-48
E 3917-18.
Control No. : 41488
- 16 CHUN, S.C.
Lap splice tests using high-strength headed bars of 550
MPa (80ksi) yield strength .
ACI Struct J 2015 Nov-Dec; 112(6): 679-88
E 3917-18.
Control No. : 41460

- 17 DESALEGNE, A.S. and LUBELL, A.S.
Shear in concrete beams reinforced with high-performance steel .
ACI Struct J 2015 Nov-Dec; 112(6): 783-92
E 3917-18.
Control No. : 41469
- 18 DOLAN, C.W.
Revisiting the ACI 318 Unified design provisions for flexure and axial load.
Concr Inter 2015 Oct; 37(10): 33-39
E 3917-18.
Control No. : 41503
- 19 ELKADY, M., et al
Precast concrete corbels for insulated wall panels.
Concr Inter 2015 Oct; 37(10): 45-50
E 3917-18.
Control No. : 41504
- 20 EMANUEL, N.
Accurate inventory monitoring in real time : The time and connectivity benefits of automated inventory monitoring.
World Cem 2015 October;: 85-86
E 3917-18.
Control No. : 41496
- 21 FAVIER, A., et al
Multinuclear static NMR study of geopolymerisation.
Cem Concr Res 2015 September; 75: 104-09
E 3917-18.
Control No. : 41457
- 22 FORNI, P.
Flying high with formulated activators : Outlines the company's proposal for a new generation of cement additives specifically formulated to enhance the strength of flyash cements.
World Cem 2015 October;: 65-67
E 3917-18.
Control No. : 41492
- 23 FRAISER, L. and SULLIVAN, T.
Evaluating EPA's (Environmental Protection Agency) proposal to lower the ozone standard : .
World Cem 2015 October;: 37-42
E 3917-18.
Control No. : 41487
- 24 GANESAN, N., et al
Constructive behaviour of confined hybrid fibre reinforced HPC under uniaxial compression .
Mag Concr Res January 2016; 68(1 & 2): 1-11
E 3917-18.
Control No. : 41476

- 25 GANESAN, N., et al
Effect of fibres on the strength and behaviour of GPC columns.
Mag Concr Res 2016 January; 68(1 & 2): 99-106
E 3917-18.
Control No. : 41484
- 26 GIDUQUIO, M.B., et al
High-strength flexural reinforced in reinforced concrete flexural members under monotonic loading.
ACI Struct J 2015 Nov-Dec; 112(6): 793-804
E 3917-18.
Control No. : 41470
- 27 GUAN, J., et al
Fracture arameters of site-cast dam and sieved concrete.
Mag Concr Res 2016 January; 68(1 & 2): 43-54
E 3917-18.
Control No. : 41479
- 28 HOOVER, C.G. and UIM, F.-J.
Experimental chemo-mechanics aof early age fracture properties of cement paste.
Cem Concr Res 2015 September; 75: 42-52
E 3917-18.
Control No. : 41453
- 29 HWANG, H.J., et al
Bond-slip relationship of beam flexural bars in interior beam-column joints.
ACI Struct J 2015 Nov-Dec; 112(6): 827-38
E 3917-18.
Control No. : 41473
- 30 KANG, T.H.-K, A ET AL.
Experimental and numerical assessment of bonded and unbonded post-tensioned concrete members .
ACI Struct J 2015 Nov-Dec; 112(6): 735-48
E 3917-18.
Control No. : 41465
- 31 KIM, Y.J.
Modeling of near-surface-mounted carbon foiber-reinforced polymer for strengthening reinforced concrete beams in sustained load.
ACI Struct J 2015 Nov-Dec; 112(6): 805-14
E 3917-18.
Control No. : 41471
- 32 KONG, X., et al
Retardation effect of styreneacrylate copolymer latexes on cement hydration .
Cem Concr Res 2015 September; 75: 23-41
E 3917-18.
Control No. : 41452

- 33 L'HOPITAL, E., et al
Review : Incorporation of aluminium in calcium-silicate hydrates .
Cem Concr Res 2015 September; 75: 91-103
E 3917-18.
Control No. : 41449
- 34 LI, B., et al
Effect of high axial load on seismic behavior or reinforced concrete beam-column joints with and without strengthebing.
ACI Struct J 2015 Nov-Dec; 112(6): 713-24
E 3917-18.
Control No. : 41463
- 35 MATTAR, I.S.A.I.
Nonlinear FE model for RC beams shear-strengthened with FRP.
Mag Concr Res January 2016; 68(1 & 2): 12-23
E 3917-18.
Control No. : 41477
- 36 MEHTA, P.L., et al
Raising the bar with innovation : The in-house innovations that have boosted capacity and improved efficiency at marginal cost .
World Cem 2015 October;;: 22-29
E 3917-18.
Control No. : 41485
- 37 MONETTE, L. AND GARDNER, N.J.
Shored/reshored construction of flat plates.
Concr Inter 2015 Sept; 37(9): 25-33
E 3917-18.
Control No. : 41497
- 38 MOTA, B., et al
Influence of sodium salts and gypsum on alite hydration.
Cem Concr Res 2015 September; 75: 53-65
E 3917-18.
Control No. : 41454
- 39 MUELLER, K.A.and KURAMA, Y.C.
Our-of-plane behavior and stability of five planar reinforced concrete bearing wall specimens under fire.
ACI Struct J 2015 Nov-Dec; 112(6): 701-12
E 3917-18.
Control No. : 41462
- 40 MURCIA-DELISO, J., et al
Tension development length of larbge-diameter bars fro severe cyclic loading .
ACI Struct J 2015 Nov-Dec; 112(6): 689-700
E 3917-18.
Control No. : 41461

- 41 PACJECO, J., et al
Distructive horizontal load tests of full-scale recycled-
aggregate concrete structures .
ACI Struct J 2015 Nov-Dec; 112(6): 815-26
E 3917-18.
Control No. : 41472
- 42 PHAM. T.P. and LI, B.
Seismic performance assessment of L-shaped reinforced
concrete columns .
ACI Struct J 2015 Nov-Dec; 112(6): 667-78
E 3917-18.
Control No. : 41459
- 43 PHUONG, N.D. AND MUTSUYOSHI, H.
Experimental study on performance of mechanical splices
in reinforced concrete beams.
ACI Struct J 2015 Nov-Dec; 112(6): 749-60
E 3917-18.
Control No. : 41466
- 44 QU, YU-C., et al
Cyclic behavior of precast high-strength areinforced
concrete .
ACI Struct J 2015 Nov-Dec; 112(6): 839-50
E 3917-18.
Control No. : 41474
- 45 RAHAL, K.N. and AL-KHALEEFI, A-L.
Shear frinction behavior of recycled and natural
aggregate concrete - An experimental investigation.
ACI Struct J 2015 Nov-Dec; 112(6): 725-34
E 3917-18.
Control No. : 41464
- 46 ROSSEN, J.E.
Composition of C-S-H in pastes with increasing levels of
silica fume addition.
Cem Concr Res 2015 September; 75: 14-22
E 3917-18.
Control No. : 41451
- 47 SAHMARAN, M., et al
Effect of corrosion on shear behavior of reinforced
engineered cementitious composite beams.
ACI Struct J 2015 Nov-Dec; 112(6): 771-82
E 3917-18.
Control No. : 41468
- 48 SCHROEFT, C., et al
Sorpton kinetics of superabsorbent polymers (SAPs) in
fresh portland cement-based visualized and quantified by
neutron radiography and correlated to the progress of
cement hydration .
Cem Concr Res 2015 September; 75: 1-13
E 3917-18.
Control No. : 41450

- 49 SHYHA, I., et al
Mould release technologies with regard to concrete surface finish.
Mag Concr Res 2016 January; 68(1 & 2): 87-98
E 3917-18.
Control No. : 41483
- 50 SIBBICK, R.
Under the microscope : Provides an in-depth look at whole clinker optical microscopy.
World Cem 2015 October;: 57-64
E 3917-18.
Control No. : 41491
- 51 STANTON, J., et al
Phig-leaf phactor, part 1 : Is refinement of the o-factor a pedantic pursuit.
Concr Inter 2015 Oct; 37(10): 27-32
E 3917-18.
Control No. : 41502
- 52 TAYLOR, C.
Future of 3-D modelling for concrete contractors.
Concr Inter 2015 Sept; 37(9): 41-43
E 3917-18.
Control No. : 41500
- 53 TODISCO, L., et al
Database with shear tests on non-slender reinforced concrete beams with vertical stirrups.
ACI Struct J 2015 Nov-Dec; 112(6): 761-70
E 3917-18.
Control No. : 41467
- 54 TRAN, T.A. and WALLACE, J.W.
Cyclic testing of moderate-aspects-ratio reinforced concrete structural walls.
ACI Struct J 2015 Nov-Dec; 112(6): 653-66
E 3917-18.
Control No. : 41458
- 55 WAIBEL, A.
Good Measure : How measurement technology supports the processes of cement production.
World Cem 2015 October;: 81-84
E 3917-18.
Control No. : 41495
- 56 XU, J., et al
Surface coating treatment and densification of mortar by electrodeposition method.
Mag Concr Res 2016 January; 68(1 & 2): 69-79
E 3917-18.
Control No. : 41481
- 57 YUAN, J. and GRAYBEAL, B.
Bond of reinforcement in ultra-high-performance concrete

ACI Struct J 2015 Nov-Dec; 112(6): 851-59
E 3917-18.
Control No. : 41475

list of Articles

- 1 AB EL HAMEED, M.F., et al
Cement mortar with nanosilica : Experiments with mixture design method.
ACI Mater J 2016 January-February; 113(1): 43-54
E 3919-22.
Control No. : 41603
- 2 ALAM, S. and RAI, P.
Innovative technique for improved production from depillaring panel in an underground coal mine.
J Mine Metal Fuels 2016 Jan-Feb; 64(1-2): 3-13
E 3919-22.
Control No. : 41646
- 3 ALEXANDER, M. and THOMAS, M.
Service life prediction and performance testing - current developments and practical applications.
Cem Concr Res 2015 December; 78: 155-64
E 3919-22.
Control No. : 41723
- 4 ALYOYUSIF, A., et al
Comparison of shear behaviour of engineered cementitious composite and normal concrete beams with different shear span lengths.
Mag Concr Res 2016 March; 68(5 & 6): 217-28
E 3919-22.
Control No. : 41589
- 5 ANGULSKI da LUZ, C and HOOTON, R.D.
Influence of curing temperature on the process of hydration of supersulfated cements at early age.
Cem Concr Res 2015 November; 77: 69-75
E 3919-22.
Control No. : 41709
- 6 ANON
alkali-silica reaction prevention : What effects the action of fly ash.
Cem Inter 2015 Nov-Dec; 13(6): p16
E 3919-22.
Control No. : 41673
- 7 ANON
Application of allround scaffolding as a stairway tower and bridge.
C iv Eng Constr Rev 2015 September; 28(9): 108-11
E 3919-22.
Control No. : 41742
- 8 ANON
Building world class roads with Macons 'State-of-the-art equipment.

C iv Eng Constr Rev 2015 September; 28(9): 83-87
E 3919-22.
Control No. : 41736

- 9 ANON
Calcined clay as a pozzolanic cement constituent .
Cem Inter 2016 Jan-Feb; 14(1): p21
E 3919-22.
Control No. : 41685
- 10 ANON
A case study on how Chryso met the challenges of
underground waterproofing.
C iv Eng Constr Rev 2015 September; 28(9): 88-89
E 3919-22.
Control No. : 41737
- 11 ANON
Cement consumption according to type of application and
construction sector .
Cem Int 2015 Sept-Oct; 13(5): p19
E 3919-22.
Control No. : 41666
- 12 ANON
Concrete analysis : determining the type of cement in
hardened concrete.
Cem Inter 2015 Nov-Dec; 13(6): p17
E 3919-22.
Control No. : 41674
- 13 ANON
Convac system - a new age solution for complete
waterproofing and damp proofing.
C iv Eng Constr Rev 2015 September; 28(9): 90-93
E 3919-22.
Control No. : 41738
- 14 ANON
Demanding emission abatement targets.
Cem Inter 2016 Jan-Feb; 14(1): p18
E 3919-22.
Control No. : 41682
- 15 ANON
Elematic launches new technology levels to acotec
partition wall production lines.
C iv Eng Constr Rev 2015 September; 28(9): 102-03
E 3919-22.
Control No. : 41741
- 16 ANON
The focus staus on efficient use of cement clinker.
Cem Inter 2016 Mar-Apr; 14(2): 20-21
E 3919-22.
Control No. : 41692

- 17 ANON
Free space radar measuring technology for measuring the material level in one of Heidelberg Cement's clinker silos .
Cem Inter 2015 Nov-Dec; 13(6): 34-35
E 3919-22.
Control No. : 41676
- 18 ANON
Gennext construction chemicals from MC-Bauchemie.
C iv Eng Constr Rev 2015 September; 28(9): 94-95
E 3919-22.
Control No. : 41739
- 19 ANON
Hg emission abatement gaining ground around the world.
Cem Inter 2016 Jan-Feb; 14(1): p20
E 3919-22.
Control No. : 41684
- 20 ANON
Influence of barium on clinker phases.
Cem Inter 2016 Mar-Apr; 14(2): P22
E 3919-22.
Control No. : 41694
- 21 ANON
Investigations with fuel ashes.
Cem Inter 2016 Mar-Apr; 14(2): p22
E 3919-22.
Control No. : 41693
- 22 ANON
Liugong ready to taste the fruits of strategic globalisation.
Civ Eng Constr Rev 2015 September; 28(9): 32-35
E 3919-22.
Control No. : 41725
- 23 ANON
Lowering coss by reducing false air.
Cem Int 2015 Sept-Oct; 13(5): p17
E 3919-22.
Control No. : 41663
- 24 ANON
New reference materials in the interlaboratory test.
Cem Inter 2016 Jan-Feb; 14(1): p22
E 3919-22.
Control No. : 41687
- 25 ANON
Precast India and Tekla join hands to provide high wquality and cost effective precast structures.
C iv Eng Constr Rev 2015 September; 28(9): 96-97
E 3919-22.
Control No. : 41740

- 26 ANON
Precise results with X-ray diffraction.
Cem Inter 2015 Nov-Dec; 13(6): p16
E 3919-22.
Control No. : 41672
- 27 ANON
Putzmeister launches the ultimat batching plant MT = 1.0
Civ Eng Constr Rev 2015 September; 28(9): 36-39
E 3919-22.
Control No. : 41726
- 28 ANON
Recycled water in European concrete plants.
Cem Inter 2015 Nov-Dec; 13(6): p18
E 3919-22.
Control No. : 41675
- 29 ANON
Restructing of the EU Emissions trading scheme .
Cem Inter 2016 Jan-Feb; 14(1): P19
E 3919-22.
Control No. : 41683
- 30 ANON
Sulfate resistance testing is examined.
Cem Inter 2016 Jan-Feb; 14(1): P22
E 3919-22.
Control No. : 41686
- 31 ANON
Tata Hitachi launches EX 110 'Super' series hydraulic
excavator.
Civ Eng Constr Rev 2015 September; 28(9): 42-43
E 3919-22.
Control No. : 41728
- 32 ANON
Terex finlay launch new C-1545 tracked mobile cone
crusher.
Civ Eng Constr Rev 2015 September; 28(9): p 40
E 3919-22.
Control No. : 41727
- 33 ANON
VDZ advanced training crosses borders.
Cem Int 2015 Sept-Oct; 13(5): p18
E 3919-22.
Control No. : 41665
- 34 ANON
VDZ extends its international ASR expertise.
Cem Inter 2016 Mar-Apr; 14(2): p23
E 3919-22.
Control No. : 41695

- 35 ANON
 Workability of concrete made with fly ash cement .
 Cem Int 2015 Sept-Oct; 13(5): p17
 E 3919-22.
 Control No. : 41664
- 36 BAJPAI, P.
 Non-conventional soil stabilization techniques - The way
 forward to an aggregate .

 Rev 2015 September; 28(9): 78-81
 E 3919-22.
 Control No. : 41733
 Civ Eng Constr
- 37 BARBOSA, F.S., et al
 Methodology to evaluate elastic modulus of lightweight
 aggregate concrete.
 ACI Mater J 2016 Jan-Feb; 113(1): 67-72
 E 3919-22.
 Control No. : 41605
- 38 BEKTAS, F.
 Alternative specimens for testing concrete strength .
 ACI Mater J 2016 Jan-Feb; 113(1): 113-20
 E 3919-22.
 Control No. : 41610
- 39 BERGOLD, S.T., et al
 Mechanical activated alite : New insights into alite
 hydration.
 Cem Concr Res 2015 October; 76: 202-11
 E 3919-22.
 Control No. : 41585
- 40 BESSAIRES-BAY, H., et al
 Effect of polyacrylamide on rheology of fresh cement
 pastes.
 Cem Concr Res 2015 October; 76: 98-106
 E 3919-22.
 Control No. : 41576
- 41 BHARTI, K., et al
 Development of virtual simulator model of belt conveyor
 installations.
 J Mine Metal Fuel 2015 August; 63(8): 214-18
 E 3919-22.
 Control No. : 41629
- 42 BHATNAGAR, B.P.
 Application of electrical equipments in limestone mines
 of cement plants an approach for better environmental,
 energy & economics (EEE) of overall operation .
 Cem Energy Environment 2016 Jan-Mar; 15(1): 19-23
 E 3919-22.
 Control No. : 41658

- 43 BIZZOZERO, J. and SCRIVENER, K.L.
Limestone reaction in calcium aluminate cement-calcium sulfate systems.
Cem Concr Res 2015 October; 76: 159-69
E 3919-22.
Control No. : 41581
- 44 BRENEK, R., et al
Decontamination of a dumpsite of waste from mineral oil refineries in the Czech Republic, locality of Ostrava .
J Mine Metal Fuel 2016 March 2016; 64(3): 58-62
E 3919-22.
Control No. : 41653
- 45 BROMS, C.E.
Tangential strain theory for punching failure of flat slabs .
ACI Structural Journal 2016 Jan-Feb; 113(1): 95-104
E 3919-22.
Control No. : 41619
- 46 BRRBACHYN, S.M., et al
Testing and behavior of a coupled shear wall structure with partially post-tensioned coupling beams.
ACI Structural Journal 2016 Jan-Feb; 113(1): 111-24
E 3919-22.
Control No. : 41621
- 47 CAGNON, H., et al
Review : Drying creep in cyclic humidity conditions.
Cem Concr Res 2015 October; 76: 91-97
E3919-22.
Control No. : 41566
- 48 CHATURVEDI, S.K., et al
Activation of fly ashes for enhancing their utilization in cement manufacture.
Cem Inter 2015 Sept-Oct; 13(5): 62-69
E 3919-22.
Control No. : 41670
- 49 CHEN, J. and TREJO, D.
Influence of truck drum revolution count on fresh and hardened concrete characteristics.
ACI Mater J 2016 January-February; 113(1): 25-34
E 3919-22.
Control No. : 41601
- 50 CHINNADURAI, T., et al
Wire materials influences and process parameteric effects on performance measures of WEDM of nickel .
J Mine Metal Fuel 2015 Sept; 63(9): 275-80
E 3919-22.
Control No. : 41639
- 51 CHOUDHARY, B.S.
Excavator selection based on muckpile shape parameters in low height benches.

J Mine Metal Fuels 2016 Jan-Feb; 64(1 & 2): 19-22
E 3919-22.
Control No. : 41648

- 52 CHOUDHARY, B.S.
Paste filling- an overview to improve the quality of filling material.
J Mine Metal Fuel 2015 August; 63(8): 205-13
E 3919-22.
Control No. : 41628
- 53 CHUN, Y.S. and CHANG, K.K.
Seismic performance of special reinforced concrete coupling beams with diagonal reinforcement and headed bars.
Mag Concr Res 2016 March; 68(5 & 6): 283-90
E 3919-22.
Control No. : 41595
- 54 DANG, C.N., et al
Measured transfer lengths of 0.7 in. (17.8 mm) strands for pretensioned beams.
ACI Structural Journal 2016 Jan-Feb; 113(1): 85-94
E 3919-22.
Control No. : 41618
- 55 DARREN LIME ,T.Y., et al
Durability of very-high-strength concrete with supplementary cementitious materials for marine environments.
ACI Mater J 2016 Jan-Feb; 113(1): 95-104
E 3919-22.
Control No. : 41608
- 56 DE SCHEPPER, M., et al
Setting control of completely recyclable concrete with slag and aluminates cements.
ACI Mater J 2016 January-February; 113(1): 35-42
E 3919-22.
Control No. : 41602
- 57 DHEERAJ KUMAR
Mining, mineral and sustainable development.
J Mine Metal Fuel 2015 Sept; 63(9): 251-59
E 3919-22.
Control No. : 41636
- 58 DHOTE, L., et al
Comparative characterization of overburden material vis-a-vis sand as an alternative for stowing in underground mines.
J Mine Metal Fuel 2016 March 2016; 64(3): 48-53
E 3919-22.
Control No. : 41651
- 59 DILLER, H.
Evolution of alternative fuels use in the German cement industry.

Cem Inter 2016 Mar-Apr; 14(2): 70-75
E 3919-22.
Control No. : 41700

- 60 DOLINKOVA, K. and GIBESOVA, B.
Reducing the danger of coal dust in coal mines in Czech Republic.
J Mine Metal Fuel 2015 Nov-Dec; 63(11-12): 402-06
E 3919-22.
Control No. : 41641
- 61 DONG, J.-F., et al
Material and structural response of steel tube confined recycled earthquake waste concrete subjected to axial compression .
Mag Concr Res 2016 March; 68(5 & 6): 271-82
E 3919-22.
Control No. : 41594
- 62 DOUGLAS HOOTON, R.
Current developments and future needs in standards for cementitious materials.
Cem Concr Res 2015 December; 78: 165-77
E 3919-22.
Control No. : 41724
- 63 DROUET, E., et al
Temperature influence on water transport in hardened cement pastes.
Cem Concr Res 2015 October; 76: 37-50
E 3919-22.
Control No. : 41571
- 64 DU, H. and PANG, S.D.
Enhancement of barrier properties of cement mortar with graphene nanoplatelet.
Cem Concr Res 2015 October; 76: 10-19
E 3919-22.
Control No. : 41568
- 65 EINPAUL, J., et al
Study on influence of column size and slab slenderness on punching strength.
ACI Structural Journal 2016 Jan-Feb; 113(1): 135-46
E 3919-22.
Control No. : 41623
- 66 EUJINE, G.N., et al
Feasibility and design of Enzymatic Lime stabilized subgrades for highway.
Civ Eng Constr Rev 2015 September; 28(9): 66-70
E 3919-22.
Control No. : 41731
- 67 FABER, H.
Handling alternative fuels - a progress report.
Cem Inter 2016 Jan-Feb; 14(1): 68-79
E 3919-22.

Control No. : 41690

- '68 FANG, S., et al
Study of traditional blood lime mortar for restoration of
ancient buildings.
Cem Concr Res 2015 October; 76: 232-41
E 3919-22.
Control No. : 41588
- 69 FORMIA, A.
DualCem project : Evaluation of healing agents and
development of encapsulation technologies for self-
healing concrete .
Cem Inter 2015 Sept-Oct; 13(5): 70-77
E 3919-22.
Control No. : 41671
- 70 FOURMENTINE, M., et al
Porous structure and mechanical strength of cement-lime
pastes during setting .
Cem Concr Res 2015 November; 77: 1-8
E 3919-22.
Control No. : 41702
- 71 GANESH, P., et al
Effect of nanosilica on durability and mechanical
properties of high-strength concrete .
Mag Concr Res 2016 March; 68(5 & 6): 229-36
E 3919-22.
Control No. : 41590
- 72 GARAY MORAN, J.D.D.
Behavior of deep beams containing high-strength
longitudinal reinforcement.
ACI Structural Journal 2016 Jan-Feb; 113(1): 17-28
E 3919-22.
Control No. : 41612
- 73 GARTNER, E. and HIRAO, H.
Review of alternative approaches to the reduction of CO2
emissions associated with the manufacture of the binder
phase in concrete .
Cem Concr Res 2015 December; 78: 126-42
E 3919-22.
Control No. : 41721
- 74 GENG, G., et al
Atomic and nano-scale characterization of a 50-year-old
hydrated C3S paste.
Cem Concr Res 2015 November; 77: 36-46
E 3919-22.
Control No. : 41706
- 75 GEORGIN, J.F. and PRUD'HOMME, E.
Hydration modelling of an ettringite-based binder .
Cem Concr Res 2015 October; 76: 51-61
E 3919-22.
Control No. : 41572

- 76 GHOSE, A.K. and HALDAR, A.
Mining of extraterrestrial bodies in the near future.
J Mine Metal Fuel 2015 Sept; 63(9): 239-45
Control No. : 41634
- 77 GRENGG, C.
Microbiologically induced concrete corrosion : A case
study from a combined sewer network .
Cem Concr Res 2015 November; 77: 16-25
E 3919-22.
Control No. : 41704
- 78 GUPTA, S.
Redefining toll plaza construction.
- Civ Eng Constr
- Rev 2015 September; 28(9): p83
E 3919-22.
Control No. : 41735
- 79 GUTHRIE, G.D. and CAREY, J.W.
Thermodynamic and kinetic model for paste-aggregate
interactions and the alkali-silica reaction.
Cem Concr Res 2015 October; 76: 107-20
E 3919-22.
Control No. : 41577
- 80 HERMENTHA KUMAR, S.S., et al
Building green image of the company by environment
performance management as per SO 14031 : 2014.
Cem Energy Environment 2016 Jan-Mar; 15(1): 7-11
E 3919-22.
Control No. : 41655
- 81 HORNBOSTEL, K., et al
On the limitations of predicting the ohmic resistance in
a macro -cell in mortar from bulk resistivity
measurements.
Cem Concr Res 2015 October; 76: 147-58
E 3919-22.
Control No. : 41580
- 82 HUI, W., et al
Mechanical behaviour of composite soil nailing
considering prestress .
J Mine Metal Fuels 2015 Nov-Dec; 63(11 & 12): 426-33
E 3919-22.
Control No. : 41645
- 83 IBARRA, L. and BISHAW, B.
High-strength fiber-reinforced concrete beam-columns with
high-strength steel.
ACI Structural Journal 2016 Jan-Feb; 113(1): 147-56
E 3919-22.
Control No. : 41624

- 84 ISLAM, M.S. and GHAFOORI, N.
 Suppressing alkali-silica reactivity using class F fly ash : An experimental and analytical investigation.
 ACI Mater J 2016 January-February; 113(1): 13-24
 E 3919-22.
 Control No. : 41600
- 85 JENNINGS, H.M., et al
 Quantitative discrimination of the nano-pore-structure of cement paste during drying : New insights from water sorption isotherms .
 Cem Concr Res 2015 October; 76: 27-36
 E 3919-22.
 Control No. : 41570
- 86 JHA, M.S., et al
 Technological developments in underground mining technology in Tata Steel mines .
 J Mine Metal Fuels 2016 Jan-Feb; 64(1-2): 14-18
 E 3919-22.
 Control No. : 41647
- 87 JIRKUNTWAR, G.W., et al
 Kiln production improvement through installation of water spray system at preheater.
 Cem Energy Environment 2016 Jan-Mar; 15(1): 26-29
 E 3919-22.
 Control No. : 41660
- 88 JIRKUNTWAR, G.W., et al
 Pet coke grinding in coal ball mill and 100% petcock usages in line-1 kiln .
 Cem Energy Environment 2016 Jan-Mar; 15(1): 26-29
 E 3919-22.
 Control No. : 41659
- 89 JUENGER, M.C.G. and SIDDIQUE, R.
 Recent advances in understanding the role of supplementary cementitious materials in concrete .
 Cem Concr Res 2015 December; 78: 71-80
 E 3919-22.
 Control No. : 41717
- 90 JUILLAND, P. and GALLUCCI, E.
 Morpho-topological investigation of the mechanisms and kinetic regimes of alite dissolution.
 Cem Concr Res 2015 October; 76: 180-91
 E 3919-22.
 Control No. : 41583
- 91 JUSTS, J., et al
 Internal curing by super absorbent polymers in ultra-high performance concrete.
 Cem Concr Res 2015 October; 76: 82-97
 E 3919-22.
 Control No. : 41575

- 92 KELLER, D. and KELLER, W.
 New procedure for ensuring the quality of gear tooth systems and preventing premature gear damage.
 Cem Inter 2015 Sept-Oct; 13(5): 54-61
 E 3919-22.
 Control No. : 41669
- 93 KEYSSNER, M. and FEHRLAND, T.
 Drive selection for large Loesche vertical roller mills.
 Cem Inter 2016 Mar-Apr; 14(2): 42-47
 E 3919-22.
 Control No. : 41696
- 94 KHADIKAR, S.
 ACC's concrete solutions to solve road problems in rural india .
 Civ Eng Constr
 Rev 2015 September; 28(9): P 82
 E 3919-22.
 Control No. : 41734
- 95 KIM, D.-G., et al
 Durability of latex-modified concrete carrfied by ready-mix truck for concrete rooftops.
 Mag Concr Res 2016 March; 68(5 & 6): 318-24
 E 3919-22.
 Control No. : 41598
- 96 KIM, Y,J, and NAMROU, A.R.
 Interface between near-surface-mounted carbon fiber-reinforced polymer and concrete in thermal distress.
 ACI Structural Journal 2016 Jan-Feb; 113(1): 17-28
 E 3919-22.
 Control No. : 41613
- 97 KIRLANGIC, A.S., et al
 Assessment of concrete beams with irregular defects using surface waves.
 ACI Mater J 2016 Jan-Feb; 113(1): 73-82
 E 3919-22.
 Control No. : 41606
- 98 LEE, C.H. and HOVER, K.C.
 Early-age stiffening of paste, mortar and concrete in Lab and field.
 ACI Mater J 2016 Jan-Feb; 113(1): 83-94
 E 3919-22.
 Control No. : 41607
- 99 LEEMANN, A., et al
 ASR prevention - effect of aluminum and lithium ions on the reaction products.
 Cem Concr Res 2015 October; 76: 192-201
 E 3919-22.
 Control No. : 41584

- 100 LI, H., et al
Shear performance of reinforced concrete beams with
corroded stirrups strengthened with carbon fiber-
reinforced polymer.
ACI Structural Journal 2016 Jan-Feb; 113(1): 51-62
E 3919-22.
Control No. : 41615
- 101 LI, X., et al
Seismic retrofit of short RC coupling beams using CFRP
composites.
Mag Concr Res 2016 March; 68(5 & 6): 260-70
E 3919-22.
Control No. : 41593
- 102 LIAO, K.-W., et al
Investigation of chloride diffusion in cement mortar via
statistical learning theory.
Mag Concr Res 2016 March; 68(5 & 6): 237-49
E 3919-22.
Control No. : 41591
- 103 LIM, W-Y., et al
Cyclic lateral testing of precast concrete T-walls in
fast low-rise construction .
ACI Structural Journal 2016 Jan-Feb; 113(1): 179-90
E 3919-22.
Control No. : 41627
- 104 LOTHENBACH, B. and NONAT, A.
Calcium silicate hydrates : Solid and liquid phase
composition.
Cem Concr Res 2015 December; 78: 57-70
E 3919-22.
Control No. : 41716
- 105 LOTHENBACH, B., et al
Magnesium and calcium silicate hydrates.
Cem Concr Res 2015 November; 77: 60-68
E 3919-22.
Control No. : 41708
- 106 LUBJUHN, U.
From 0 to 89% - alternative fuel usage in the Broceni
cement plant.
Cem Inter 2016 Jan-Feb; 14(1): 62-67
E 3919-22.
Control No. : 41689
- 107 LUDWIG, H.-M. and ZHANG, W.
Research review of cement clinker chemistry.
Cem Concr Res 2015 December; 78: 24-37
E 3919-22.
Control No. : 41714

- 108 LUO, J.W.and VECCHIO, F.J.
Behavior of steel fiber-reinforced concrete under
reversed cyclic shear.
ACI Structural Journal 2016 Jan-Feb; 113(1): 75-84
E 3919-22.
Control No. : 41617
- 109 MacDOUGALL, K., et al
Measured load capacity of buried reinforced concrete
pipes.
ACI Structural Journal 2016 Jan-Feb; 113(1): 63-74
E 3919-22.
Control No. : 41616
- 110 MAHMOUD, K. and EL-SAKAKAWY, E.
Size effect on shear strength of glass fiber-reinforced
polymer-reinforced concrete continuous beams.
ACI Structural Journal 2016 Jan-Feb; 113(1): 125-34
E 3919-22.
Control No. : 41622
- 111 MANGAL, A. and PAUL, P.S.
Methodology for reliability, availability and
maintainability of load haul dumper in an underground
coal mine through industrial automation - a new trend
setter.
J Mine Metal Fuel 2015 Sept; 63(9): 260-69
E 3919-22.
Control No. : 41637
- 112 MARTAUZ, P. AND STRIGAC, J.
Reactivity changes of cement raw meal by meat-bone meal
additions.
Cem Inter 2016 Mar-Apr; 14(2): 76-85
E 3919-22.
Control No. : 41701
- 113 MICHAEL ARPUTHARAJ, M.E.
Application of remote sensing in mining.
J Mine Metal Fuel 2015 August; 63(8): 219-22
E 3919-22.
Control No. : 41630
- 114 MICHAEL ARPUTHARAJ, M.E.
Computer aided coal mine ventilation planning.
J Mine Metal Fuel 2016 March 2016; 64(3): 54-57
E 3919-22.
Control No. : 41652
- 115 MULLER, C. and PALM, S.
Characteristics values based on degree of hydration for
predicting the durability of concrete.
Cem Inter 2016 Jan-Feb; 14(1): 80-85
E 3919-22.
Control No. : 41691

- 116 NATH, K.R.P
Carbon dioxide (CO₂) sequestration methods for cement industry.
Cem Energy Environment 2016 Jan-Mar; 15(1): 35-38
E 3919-22.
Control No. : 41662
- 117 NATH, K.R.P., et al
Environmental performance of Indian cement industry.
Cem Energy Environment 2016 Jan-Mar; 15(1): 1-6
E 3919-22.
Control No. : 41654
- 118 PANDYA, P., et al
Water management in cement industries.
Cem Energy Environment 2016 Jan-Mar; 15(1): 30-34
E 3919-22.
Control No. : 41661
- 119 PAULSON, C., et al
Defining yield strength for nonprestressed reinforcing steel .
ACI Structural Journal 2016 Jan-Feb; 113(1): 169-78
E 3919-22.
Control No. : 41626
- 120 PIERRE, A., et al
Rheological properties of calcium sulfate suspensions.
Cem Concr Res 2015 October; 76: 70-81
E 3919-22.
Control No. : 41574
- 121 PLANK, J., et al
Chemical admixtures - chemistry, applications and their impact on concrete microstructure and durability.
Cem Concr Res 2015 December; 78: 81-99
E 3919-22.
Control No. : 41718
- 122 POP, A. and ARDELEAN, I.
Monitoring the size evolution of capillary pores in cement paste during the early hydration via diffusion in internal gradients.
Cem Concr Res 2015 November; 77: 76-81
E 3919-22.
Control No. : 41710
- 123 PROVIS, J.L., et al
Advances in understanding alkali-activated materials.
Cem Concr Res 2015 December; 78: 110-25
E 3919-22.
Control No. : 41720
- 124 PRUSTY, B.K. and PATRA, A.K.
CO₂ sequestration in underground coal mines.
J Mine Metal Fuels 2016 March; 64(3): 43-47
E 3919-22.
Control No. : 41650

- 125 RAJABIPOUR, F., et al
Alkali-silica reaction : Current understanding of the
reaction mechanisms and the knowledge gaps.
Cem Concr Res 2015 October; 76: 130-46
E 3919-22.
Control No. : 41579
- 126 RANJBAR, N., et al
Graphene nanoplatelet fly ash based geopolymer composites
Cem Concr Res 2015 October; 76: 222-31
E 3919-22.
Control No. : 41587
- 127 RITTER, R. and CURBACH, M.
Shape of hypersurface of concrete under multiaxial
loading.
ACI Mater J 2016 January-February; 113(1): 55-66
E 3919-22.
Control No. : 41604
- 128 ROY, A.B.D., et al
Confinement strengthening of heat-damaged reinforced
concrete columns.
Mag Concr Res 2016 March; 68(5 & 6): 291-304
E 3919-22.
Control No. : 41596
- 129 RYEZNIKOV, G., et al
Investigation of the early stages of cement hydration
using ultrasound and other methods.
Cem Inter 2015 Nov-Dec; 13(6): 58-63
E 3919-22.
Control No. : 41680
- 130 SACHSE, C. and ASSMANN, D.
Cement grinding with a roller driven vertical roller mill
Quadropol RD - achieving high throughput rates and
producing superior quality cement.
Cem Inter 2016 Mar-Apr; 14(2): 48-55
E 3919-22.
Control No. : 41697
- 131 SAHAY, N., et al
Recovery of coal mine affected with fuel-rich open fire
a new comprehensive approach .
J Mine Metal Fuel 2015 August; 63(8): 223-33
E 3919-22.
Control No. : 41631
- 132 SANTOS, R.L., et al
Microstructural control and hydration of novel micro-
dendritic clinkers with $CaO/SiO_2 = 1.4$
Cem Concr Res 2015 October; 76: 212-21
E 3919-22.
Control No. : 41586

- 133 SCHEIBNER, M. and FUCHS, F.A.
New friction welded chain from pewag.
Cem Inter 2016 Jan-Feb; 14(1): 58-61
E 3919-22.
Control No. : 41688
- 134 SCHNEIDER, M.
Process technology for efficient and sustainable cement
production.
Cem Concr Res 2015 December; 78: 14-23
E 3919-22.
Control No. : 41713
- 135 SCHOLTZOVA, E., et al
Mechanical properties of ettringite and thaumasite - DFT
and experimental study.
Cem Concr Res 2015 November; 77: 9-15
E 3919-22.
Control No. : 41703
- 136 SCRIVENER, K.L., et al
Advances in understanding hydration of portland cement.
Cem Concr Res 2015 December; 78: 38-56
E 3919-22.
Control No. : 41715
- 137 SENGUPTA, J.B. and GANVIR, D.
utilization of supplementary cementitious material fro
eco-friendly road construction.
Civ Eng Constr Rev 2015 September; 28(9): 59-65
E 3919-22.
Control No. : 41730
- 138 SHARMA, J., et al
Studies on beneficiation and kinetics of magnetizing
roasting of low grade goethitic iron ore fines.
J Mine Metal Fuel 2015 Sept; 63(9): 270-74
E 3919-22.
Control No. : 41638
- 139 SHARMA, J., et al
Studies on beneficiation and kinetics of magnetizing
roasting of low grade goethitic iron ore fines.
J Mine Metal Fuels 2015 Nov-Dec; 63(11 & 12): 407-10
E 3919-22.
Control No. : 41642
- 140 SHARMA, R.P. and DHWAN, K.
bituminous paving mixes for Marshy areas of Yamuna
Expressway.
Civ Eng Constr Rev 2015 September; 28(9): 50-58
E 3919-22.
Control No. : 41729
- 141 SHROFF, S., et al
Material conservation :Commaitment to sustainable
resource consumption at J K Laxmi Cement Ltd, Kalol.
Cem Energy Environment 2016 Jan-Mar; 15(1): 15-18

E 3919-22.
Control No. : 41657

- 142 SINGH, A., et al
Geological evidence for Geode AI.
J Mine Metal Fuel 2015 August; 63(8): 237-38
E 3919-22.
Control No. : 41633
- 143 SINGH, H.P.
Strength and performance of steel fibre-reinforced
concrete stiffened plates.
Mag Concr Res 2016 March; 68(5 & 6): 250-59
E 3919-22.
Control No. : 41592
- 144 SINGH, M.P., et al
Green technology for road construction & maintenance .

Civ Eng Constr
Rev 2015 September; 28(9): 71-74
E 3919-22.
Control No. : 41732
- 145 SINGH, R.P. and AGGARWA, . P.
Effect of nanosilica on the properties of cement mortar.
Cem Inter 2015 Nov-Dec; 13(6): 64-
E 3919-22.
Control No. : 41681
- 146 SINGH, R.P., et al
Diesel fire studies at CIMFR mine fire gallery.
J Mine Metal Fuel 2015 August; 63(8): 234-36
E 3919-22.
Control No. : 41632
- 147 SINGH, S., et al
Environment management in limestone mining.
Cem Energy Environment 2016 Jan-Mar; 15(1): 12-14
E 3919-22.
Control No. : 41656
- 148 SINHA, S.K., et al
Exploration coring programme and core preservation
methods : An experience at Bailadile deposit - 10 .
J Mine Metal Fuel 2015 Nov-Dec; 63(11-12): 397-401
E 3919-22.
Control No. : 41640
- 149 SNOECK, D., et al
Effects of superabsorbent polymers on the microstructure
of cementitious materials studied by means of sorption
experiments.
Cem Concr Res 2015 November; 77: 26-35
E 3919-22.
Control No. : 41705

- 150 SONG, M., et al
Microstructure of interface between fibre and matrix in
10-year aged GRC modified by calcium sulfoaluminate
cement.
Cem Concr Res 2015 October; 76: 20-26
E 3919-22.
Control No. : 41569
- 151 SOURI, A., et al
Pozzolanic activity of mechanochemically and thermally
activated caolins in cement.
Cem Concr Res 2015 November; 77: 47-59
E 3919-22.
Control No. : 41707
- 152 SPECK, F. and LOCHER, M.
Energy saving in pneumatic conveying systems with
coperion components.
Cem Inter 2016 Mar-Apr; 14(2): 64-69
E 3919-22.
Control No. : 41699
- 153 TALLEY, K.G., et al
Method for approximation of ASR/DEF damage in concrete
columns.
ACI Structural Journal 2016 Jan-Feb; 113(1): 105-10
E 3919-22.
Control No. : 41620
- 154 TANG, S.W., et al
Recent durability studies on concrete structure.
Cem Concr Res 2015 December; 78: 143-54
E 3919-22.
Control No. : 41722
- 155 TAPPEINER, S.
Frequent causes of quality defects in steel cord conveyor
belts.
Cem Inter 2015 Nov-Dec; 13(6): 42-49
E 3919-22.
Control No. : 41678
- 156 TEIPEL, U.
Modified blaine test - characterization of specific
surface area by the through flow method.
Cem Inter 2015 Nov-Dec; 13(6): 50-57
E 3919-22.
Control No. : 41679
- 157 THIAW, A., et al
Precast fiber-reinforced concrete barriers with
integrated side-walk.
ACI Structural Journal 2016 Jan-Feb; 113(1): 39-50
E 3919-22.
Control No. : 41614

- 158 TUCHSCHERER, R.G., et al
 Reducing discrepancy between deep beam and sectional shear-strength predictions .
 ACI Structural Journal 2016 Jan-Feb; 113(1): 3-16
 E 3919-22.
 Control No. : 41611
- 159 VALIPOUR, H., et al
 Fibre-reinforced concrete beam assemblages subject to column loss.
 Mag Concr Res 2016 March; 68(5 & 6): 305-17
 E 3919-22.
 Control No. : 41597
- 160 WALLEVIK, O.H., et al
 Avoiding inaccurate interpretations of rheological measurements for cement-based materials.
 Cem Concr Res 2015 December; 78: 100-09
 E 3919-22.
 Control No. : 41719
- 161 WANG, M., et al
 Research on the chemical mechanism in the polyacrylate latex modified cement system.
 Cem Concr Res 2015 October; 76: 62-69
 E 3919-22.
 Control No. : 41573
- 162 WANG, X. and WANG, X.
 Research on the local pressurized ventilation in high altitude mines and its main influence parameters.
 J Mine Metal Fuels 2016 Jan-Feb; 64(1 & 2): 33-42
 E 3919-22.
 Control No. : 41649
- 163 WANG, Y-B., et al
 Experimental study of ultra-high-strength concrete under triaxial compression .
 ACI Mater J 2016 Jan-Feb; 113(1): 105-12
 E 3919-22.
 Control No. : 41609
- 164 WELLS, T. and MELCHERS, R.E.
 Modelling concrete deterioration in sewers using theory and field observations.
 Cem Concr Res 2015 November; 77: 82-96
 E 3919-22.
 Control No. : 41711
- 165 WESLING, V., et al
 Hardfacing on high strength steel for lightweight wear-protected structural materials.
 Cem Inter 2015 Sept-Oct; 13(5): 46-53
 E 3919-22.
 Control No. : 41668

- 166 WIEDENROTH, J.
 Double load conveying of iron ore pellets and directly reduced iron in a Koch Pipe Conveyor.
 Cem Inter 2015 Nov-Dec; 13(6): 36-41
 E 3919-22.
 Control No. : 41677
- 167 WOLPERS, F.
 New approach to steep-angle conveying in quarries and smaller open-pit mines with thyssenkrupp's Skip Way System.
 Cem Inter 2016 Mar-Apr; 14(2): 56-63
 E 3919-22.
 Control No. : 41698
- 168 WON, J.-P., et al
 Enhanced long-term strength and durability of shotcrete with high-strength C12A7 mineral-based accelerator.
 Cem Concr Res 2015 October; 76: 121-29
 E 3919-22.
 Control No. : 41578
- 169 WOYAWADT, C.
 Operation of MVR mills in cement manufacturing - a status report.
 Cem Int 2015 Sept-Oct; 13(5): 40-45
 E 3919-22.
 Control No. : 41667
- 170 WU, Q., et al
 Representative volume element estimation for desorption isotherm of concrete with sliced samples.
 Cem Concr Res 2015 October; 76: 1-9
 E 3919-22.
 Control No. : 41567
- 171 XIAO, Y., et al
 experimental study of reinforced concrete slabs under different loading rates.
 ACI Structural Journal 2016 Jan-Feb; 113(1): 157-68
 E 3919-22.
 Control No. : 41625
- 172 XU, A. and SHAYAN, A.
 Relationship between reinforcing bar corrosion and concrete cracking.
 ACI Mater J 2016 January-February; 113(1): 3-12
 E 3919-22.
 Control No. : 41599
- 173 XU, D., et al
 On the future of Chinese cement industry.
 Cem Concr Res 2015 December; 78: 2-13
 E 3919-22.
 Control No. : 41712

- 174 YESILMEN. S.
Nano-modification to improve the ductility of
cementitious composites.
Cem Concr Res 2015 October; 76: 170-79
E 3919-22.
Control No. : 41582
- 175 ZHI-JOE, W., et al
Study on bearing mechanical behaviour of the pre-damaged
coal rock.
J Mine Metal Fuel 2015 Sept; 63(9): 246-50
E 3919-22.
Control No. : 41635
- 176 ZHU, H., et al
Magnesium alloy plastic forming and microstructure
evolution based on finite element analysis.
J Mine Metal Fuels 2015 Nov-Dec; 63(11 & 12): 419-25
E 3919-22.
Control No. : 41644
- 177 ZHU, X., et al
Simulation analysis of strata movement characteristics of
backfill strip mining.
J Mine Metal Fuels 2015 Nov-Dec; 63(11 & 12): 411-18
E 3919-22.
Control No. : 41643