

ECAL June 2016 (41288-41342) .txt  
LIST OF ARTICLES

- 1 EL-MAADDAWY, T.  
Restoration of concrete beams presubjected to cycles of shear damage.  
ACI Struct J 2015 May-June; 112(3): 347-58; E 3911-12 C 1203 (2016).  
Control No. : 41322
- 2 ABRISHAMBAF, A., et al  
Time dependent flexural behaviour of cracked steel fibre reinforced self-compacting concrete panels.  
Cem Concr Res 2015 June; 72: 21-36  
E3911-12.  
Control No. : 41304
- 3 ANON  
Bagging and packing round-up.  
World Cem 2015 February;: 91-92  
E3911-12.  
Control No. : 41301
- 4 ANON  
Comprehensive cooler maintenance.  
World Cem 2015 February;: 65-68  
E3911-12.  
Control No. : 41297
- 5 ANON  
Specification in practices series 1 : Limits on quantity of supplementary cementitious materials .  
Concr Int 2015 August; 37(8): 48-49  
E 3911-12.  
Control No. : 41338
- 6 ANON  
Specification in practices series 2: Limits on water-cementitious materials ratio (w/cm).  
Concr Int 2015 August; 37(8): 50-51  
E3911-12.

Control No. : 41339

- 7 ANON  
Specification in practices series 3: Minimum cementitious materials content.  
Concr Int 2015 August; 37(8): 52-53  
E 3911-12.  
Control No. : 41340
  
- 8 ANON  
Specification in practices series 4 : Restrictions on type and characteristics of fly ash.  
Concr Int 2015 August; 37(8): 54-55  
E3911-12.  
Control No. : 41341
  
- 9 ANON  
Specification in practices series 5 : Restrictions on aggregate grading .  
Concr Int 2015 August; 37(8): 56-57  
E3911-12.  
Control No. : 41342
  
- 10 ATAIE, F.F., et al  
Comparison of the retarding mechanisms of zinc oxide and sucrose on cement hydration and interactions with supplementary cementitious materials.  
Cem Concr Res 2015 June; 72: 128-36  
E3911-12.  
Control No. : 41314
  
- 11 BALL, D.  
Zero cement structural concrete offers opportunity not threat.  
World Cem 2015 February;: 79-81  
E3911-12.  
Control No. : 41299
  
- 12 bellmann, f., ET AL  
Dissolution rates during the early hydration of tricalcium silicate.  
Cem Concr Res 2015 June; 72: 108-16

E 3911-12.

Control No. : 41312

- 13 BHAGWAT, V.P., et al  
Vibration predictor equation - some issues.  
J Mine Metal Fuels 2015 July; 63(7): 199-204  
E3911-12.  
Control No. : 41335
- 14 BHANDARI, S.  
Application of new technologies for optimisation and  
environmental controls of blasting results.  
J Mine, Metal & Fuel 2015 July; 63(7): 149-55  
E3911-12.  
Control No. : 41327
- 15 BIMSCHAS, M., et al  
Inelastic deformation analysis of reinforced concrete  
bridge piers, Part 1 : Theory and background .  
ACI Struct J 2015 May-June; 112(3): 267-76  
E 3911-12.  
Control No. : 41315
- 16 BIMSCHAS, M., et al  
Inelastic deformation analysis of reinforced concrete  
bridges piers, part 2 : Application and verification.  
ACI Struct J 2015 May-June; 112(3): 277-86  
E 3911-12.  
Control No. : 41316
- 17 CASTEL, A. and FOSTER, S.J.  
Bond strength between blended slag and class F fly ash  
geopolymer concrete with steel reinforcement .  
Cem Concr Res 2015 June; 72: 48-53  
E3911-12.  
Control No. : 41306
- 18 DE RAEDT, F., et al  
Keynote : Cement's first torrefaction projects.  
World Cem 2015 February;;: 15-20  
E3911-12.  
Control No. : 41288

- 19 DECKER, C.L., et al  
Seismic investigation of interior reinforced concrete  
sand-lightweight concrete beam-column joints.  
ACI Struct J 2015 May-June; 112(3): 287-98  
E 3911-12.  
Control No. : 41317
- 20 FALZONE, G., et al  
X-AFm stabilization as a mechanism of bypassing  
conversion phenomena in calcium aluminate cements.  
Cem Concr Res 2015 June; 72: 54-68  
E3911-12.  
Control No. : 41307
- 21 HILLS. T.P., et al  
Statistical analysis aof tghe carbonation rate of  
concrete.  
Cem Concr Res 2015 June; 72: 98-107  
E3911-12.  
Control No. : 41311
- 22 JHA, S.K., et al  
Instrument based blast performance evaluation.  
J Mine Metal Fuels 2015 July; 63(7): 190-92  
E3911-12.  
Control No. : 41333
- 23 JORGET,S. and KOTRYS, D.  
The heart of operations : Rotary kilns.  
World Cem 2015 February;;: 41-44  
E3911-12.  
Control No. : 41292
- 24 KANE, K., et al  
Improving the quality of concrete testing.  
Concr Int 2015 August; 37(8): 33-40  
E3911-12.  
Control No. : 41336
- 25 KARAKOSTA, E., et al  
Pore structure evolution and strength deveopment of G-  
type elastic oil well cement. A combined 1H NMR and  
ultrasonic study .  
Cem Concr Res 2015 June; 72: 90-97

E3911-12.

Control No. : 41310

- 26 KIM, I.S., et al  
Use of carbon fiber-reinforced polymer to provide continuity in reinforced concrete beams under dynamic loading.  
ACI Struct J 2015 May-June; 112(3): 383-96  
E3911-12.  
Control No. : 41325
- 27 KOVTUN, M., et al  
Chemical acceleration of a neutral granulated blast-furnace slag activated by sodium carbonate .  
Cem Concr Res 2015 June; 72: 1-9  
E3911-12.  
Control No. : 41302
- 28 LEE, J., et al  
Diagonal atension failure of reinforced and prestressed concrete member.  
ACI Struct J 2015 May-June; 112(3): 311-22  
E 3911-12.  
Control No. : 41319
- 29 LEE, J.Y., et al  
Shear behavior and diagonal crack width for reinforced concrete beams with high-strength shear reinforcement.  
ACI Struct J 2015 May-June; 112(3): 323-34  
E 3911-12.  
Control No. : 41320
- 30 MATZKE, E.M., et al  
Behavior of biaxially loaded slab-column connections wtih shear studs.  
ACI Struct J 2015 May-June; 112(3): 335-46  
E 3911-12.  
Control No. : 41321
- 31 MAXWELL-COOK, P.  
Far East : Opportunities and risks.  
World Cem 2015 February;;: 22-26  
E3911-12.  
Control No. : 41289

- 32 MAZEIKA, L.  
New levels of protection .  
World Cem 2015 February;;: 61-64  
E3911-12.  
Control No. : 41296
- 33 MEIER, X. and AndraB, S.  
Controlled conveying : How new measuring technology can  
help operators to improve contgrol of conveyor belts.  
World Cem 2015 February;;: 35-40  
E3911-12.  
Control No. : 41291
- 34 MISHRA, A.K. and SINHA, M.  
Environmental impact analysis of heavy blasting in large  
opencast mines.  
J Mine Metal Fuels 2015 July; 63(7): 173-81  
E3911-12.  
Control No. : 41331
- 35 PALO, G. and HEWERTSON, R.  
Enhancing combustion systems with oxygen.  
World Cem 2015 February;;: 45-48  
E3911-12.  
Control No. : 41293
- 36 PANDEY, S.P. and SOMANI, R.A.  
Transforming adversities into opportunities.  
World Cem 2015 February;;: 85-90  
E3911-12.  
Control No. : 41300
- 37 PARK, H-G,  
Cyclic loading tests for shear strength of lowrise  
reinforced concrete walls with grade 550 MPa bars.  
ACI Struct J 2015 May-June; 112(3): 299-310  
E 3911-12.  
Control No. : 41318
- 38 PIERRE, A., et al  
Cellulose ethers and cement paste permeability.  
Cem Concr Res 2015 June; 72: 117-27

E3911-12.

Control No. : 41313

39 RAI, P.

Case study on blasting for controlled casting of high over burden bench.

J Mine, Metal & Fuel 2015 July; 63(7): 162-66

E3911-12.

Control No. : 41329

40 RINGDORFER, R.

Evolution through experience : The innovation of the M.A.S. burner since development 20 years ago.

World Cem 2015 February;: 49-52

E3911-12.

Control No. : 41294

41 RIVERA, J.P., et al

Automated detection and measurement of cracks in reinforced concrete components.

ACI Struct J 2015 May-June; 112(3): 397-406

E3911-12.

Control No. : 41326

42 SAWMLIANA, C. and ROY, P.P..

Mechanism of rock breakage by blasting and influence of rock and explosive properties.

J Mine, Metal & Fuel 2015 July; 63(7): 156-61

E3911-12.

Control No. : 41328

43 SCIUTO, D.

Withstanding the heat : Designing a cement storage plant that receives alumina cement at 120 degree C.

World Cem 2015 February;: 75-78

E3911-12.

Control No. : 41298

44 SHARMA, S.K.

Explosives : Effectiveness in dragline blasting in surface coal mines .

J Mine Metal Fuels 2015 July; 63(7): 167-72

E3911-12.

Control No. : 41330

- 45 SINGH, P.K., et al  
Blast design and fragmentation control - key to  
productivity.  
J Mine Metal Fuels 2015 July; 63(7): 182-89  
E3911-12.  
Control No. : 41332
- 46 SMITH, B.J., et al  
Perforated hybrid precast shear walls for seismic regions  
ACI Struct J 2015 May-June; 112(3): 359-70  
E 3911-12.  
Control No. : 41323
- 47 TAN, W., et al  
Effects and mechanism research of the crystalline state  
for the semi-crystalline calcium silicate.  
Cem Concr Res 2015 June; 72: 69-75  
E3911-12.  
Control No. : 41308
- 48 TAYLOR, P., et al  
Performance based proportioning.  
Concr Int 2015 August; 37(8): 41-47  
E3911-12.  
Control No. : 41337
- 49 THAKRE, V., et al  
Safe blasting practises at Rampaura-Agucha mine .  
J Mine Metal Fuels 2015 July; 63(7): 193-98  
E3911-12.  
Control No. : 41334
- 50 TRANE, P.H.  
Acid resistant insulation.  
World Cem 2015 February;: 55-60  
E3911-12.  
Control No. : 41295
- 51 TRAPOTE-BARREIRA, A..  
Structural changes in C-S-H gel during dissolution :  
Small -angle neutron scattering and Si-NMR  
characterization.



ECAL June 2016 (41288-41342) .txt

Cem Concr Res 2015 June; 72: 76-89

E 3911-12.

Control No. : 41309

52 WOYWADT, C.

Operational experience : Cement grinding using MPS and  
MVR mills.

World Cem 2015 February;: 27-33

E3911-12.

Control No. : 41290

53 YU, C., et al

Degradation mechanism of slag blended mortars immersed in  
sodium sulfate solution.

Cem Concr Res 2015 June; 72: 37-47

E3911-12.

Control No. : 41305

54 ZANUY, C., et al

Fatigue behavior of reinforced concrete haunched beams  
without stirrups.

ACI Struct J 2015 May-June; 112(3): 371-82

E3911-12.

Control No. : 41324

55 ZHA, X. et al

Numerical modeling of supercritical carbonation process  
in cement-based materials .

Cem Concr Res 2015 June; 72: 10-20

E3911-12.

Control No. : 41303

ECAL June 2016 (41288-41342) .txt

\*\* - Keywords

7