

LIST OF ARTICLES

Vol 39 No 09-10
16 May 2016

- 1 AGARWAL, H., et al
Three-dimensional numerical modelling : an effectgive enabler for continuous miner (CM) deployment in coal seams.
J Mine Metal Fuel 2015 May-June; 63(5-6): 111-18
E3909-10.
Control No. : 41272
- 2 ANON
PERI'S scaffolding and formwork solutions for high-rise construction .
New Build Mater Constr World 2015 April; 20(10): 117-18
E 3909-10.
Control No. : 41285
- 3 ANON
Vertical casting system for poles and piles.
Concr Int 2015 June; 37(6)
E3909-10.
Control No. : 41264
- 4 BASISTHA, P.P..
Eqyupment makers bracing up for high-rise construction.
New Build Mater Constr World 2015 April; 20(10): 40-57
E3909-10.
Control No. : 41283
- 5 BELKOWITZ, J.S.,et al
Impact of nanosilica size and surface area on concrete properties.
ACI Mater J 2015 May-June; 112(3): 419-28
E3909-10.
Control No. : 41241
- 6 BOSSIO, A., et al
Modeling of concrete cracking du3e to corrosion process of reinforcement bars.
Cem Concr Res 2015 May; 71: 78-92
C 3909-10.
Control No. : 41256

- 7 CHANDRA, A.
Impacts of mine waste leachate on water quality in coal mining area with emphasis to heavy metals contamination.
J Mine Metal Fuel 2015 April; 63(4): 104-08
E3909-10.
Control No. : 41271

- 8 DALAS, F., et al
Fluidizing efficiency of comb-like superplasticizers :
The effect of the anionic function, the side chain length and the grafting degree.
Cem Concr Res 2015 May; 71: 115-23
E3909-10.
Control No. : 41259

- 9 DU, H. and TAN, K.H.
Transport properties of concrete with glass powder as supplementary cementitious material .
ACI Mater J 2015 May-June; 112(3): 429-38
E3909-10.
Control No. : 41242

- 10 FREYNE, S.F., et al
Acceptable vibration on green concrete.
ACI Mater J 2015 May-June; 112(3): 471-76
E3909-10.
Control No. : 41246

- 11 GHAZY, M.F. and EL HAMEED, M.F.A.
Optimization of lightweight concrete process by gray-taguchi method.
ACI Mater J 2015 May-June; 112(3): 365-74
E 3909-10.
Control No. : 41235

- 12 GHOSH, A.
A cement perspective.
New Build Mater Constr World 2015 April; 20(10): 110-17
E3909-10.
Control No. : 41286

- 13 GILSANZ, R., et al
High rise by the high line.
Concr Int 2015 June; 37(6): 37-42
E3909-10.
Control No. : 41263

- 14 GRAFF, K. and HOVER, S.
Modeling and forming the Turkish American community center : 3-D models facilitate the construction of a complex reinforced concrete structure.
Concr Int 2015 June; 37(6): 26-30
E 3909-10.
Control No. : 41261
- 15 GUPTA, S.
Use of nano-silica in concrete : A review.
New Build Mater Constr World 2015 April; 20(10): P118
E 3909-10.
Control No. : 41287
- 16 HAFID, H., et al
Assessment of potential concrete and mortar rheometry artifacts using magnetic resonance imaging.
Cem Concr Res 2015 May; 71: 29-35
E 3909-10.

** mortar rheometry.
Control No. : 41251
- 17 HATI, A.S. and CHATTERJEE, T.K.
Axial leakage flux based on line condition monitoring instrumentation system for mine-winder motor.
J Mine Metal Fuel 2015 May-June; 63(5-6): 132-40
E3909-10.
Control No. : 41275
- 18 HEDEBRATT, J. and SILFWERBRAND, J.
Time-dependent deflections of a steel fiber concrete slab .
Concr Int 2015 July; 37(7): 46-52
E3909-10.
Control No. : 41266
- 19 JASICZAK, J., et al
Construction of undulating walls using dry-mix shotcrete.
Concr Int 2015 June; 37(6): 31-36
E3909-10.
Control No. : 41262

- 20 JI, T., et al
Effect of lightweight aggregate on early-age autogenous shrinkage of concrete.
ACI Mater J 2015 May-June; 112(3): 355-64
E3909-10.
Control No. : 41234
- 21 JIMENEZ-RELINGUE, E., et al
Characteristics and efficiency of photocatalytic cementitious materials : Type of binder, roughness and microstructure.
Cem Concr Res 2015 May; 71: 124-31
E39-09-10.

** photocatalytic, roughness, microstructure.
Control No. : 41260
- 22 KIM,T., et al
Alkali-silica areaction : Kinetics of chemistry of pore solution and calcium hydroxide content in cementitious system .
Cem Concr Res 2015 May; 71: 36-45
E3909-10.

** calcium hydroxide.
Control No. : 41252
- 23 KNAACK, A.M. and KURAMA, Y.C.
Creep and shrinkage of normal-strength concrete with recycled concrete aggregates .
ACI Mater J 2015 May-June; 112(3): 451-62
E3909-10.
Control No. : 41244
- 24 LAVERGNE, F., et al
Investigation of the effect of aggregates morphology on concrete creep properties by numerical simulations.
Cem Concr Res 2015 May; 71: 14-28
E 3909-10.
** morphology on concrete.
Control No. : 41250

- 25 MO, L., et al
Deformation and mechanical properties of quaternary
blended cement containing ground granulated blast furnace
slag, fly ash and magnesia.
Cem Concr Res 2015 May; 71: 7-13
E3909-10.
** ground granulated, blast furnace slag, fly ash and
magnesia.
Control No. : 41249
- 26 MOON, J., et al
Mechanical properties of jennite : A theoretical and
experimental study.
Cem Concr Res 2015 May; 71: 106-14
E 3909-10.
Control No. : 41258
- 27 NORI, V.V.
Innovative precast concrete structures :An Indian
experience.
New Build Mater Constr World 2015 February; 20(8): 76-89
E3909-10.
Control No. : 41278
- 28 PANDEY, J.K., et al
Ventilation on demand for improving viability of
underground mines in India.
J Mine Metal Fuel 2015 May-June; 63(5-6): 119-25
E3909-10.
Control No. : 41273
- 29 PRASAD, C.A.
Suitability of precast systems for different needs.
New Build Mater Constr World 2015 February; 20(8): 60
E3909-10.
Control No. : 41277
- 30 PRASITTISOPIN, L. and TREJO, D.
Effects of mixing variables on hardened characteristics
of portland cement mortars.
ACI Mater J 2015 May-June; 112(3): 399-408
E3909-10.
Control No. : 41239

- 31 QING-HUA, G., et al
Automatic transportation management system of vehicles in open pit based on 3PGS (three point guarding system) and GPS .
J Mine Metal Fuel 2015 May-June; 63(5-6): 126-31
E3909-10.
Control No. : 41274
- 32 RAINA, A.K., et al
Electronic detonators : the psychological edge.
J Mine Metal Fuel 2015 April; 63(4): 88-96
E3909-10.
Control No. : 41269
- 33 RAINA, A.K., et al
Mitigation of human response to blating : A case study .
J Mine Metal Fuel 2015 April; 63(4): 97-103
E3909-10.
Control No. : 41270
- 34 RICHARDSON, D.N. and DAVIS, C.P.
Particle size and specimen preparation effects on Iowa Pore Index.
ACI Mater J 2015 May-June; 112(3): 477-85
E3909-10.
Control No. : 41247
- 35 RICHARDSON, P.N, AND LUSHAR, S.M.
Prediction of freezing-and-thawing durability of concrete
ACI Mater J 2015 May-June; 112(3): 439-50
E3909-10.
Control No. : 41243
- 36 ROBERTSON, I.N. and JOHNSON, G.P.
Learning through hands-on reinforced concrete beam experiments.
Concr Int 2015 July; 37(7): 49-45
E3909-10.
Control No. : 41265
- 37 SARATHY, M.O.
Bench blasting : Objectives and best practices - a recap.
J Mine Metal Fuel 2015 April; 63(4): 75-82
E3909-10.
Control No. : 41268

- 38 SCHIPPER, H.R.
Production of curved precast concrete elements for shell structures and free-form architecture using the flexible mould method .
New Build Mater Constr World 2015 February; 20(8): 100-112
E3909-10.
Control No. : 41280
- 39 SERDAR, M., et al
Spatial distribution of crystalline corrosion products formed during corrosion of stainless steel concrete.
Cem Concr Res 2015 May; 71: 93-105
E 3909-10.

** crystalline corrosion, stainless steel.
Control No. : 41257
- 40 SEVELSTED, T.F. and SKIBSTED, J.
Carbonation of C-S-H and C-A-S-H samples studied by ¹³C, ²⁷Al and ²⁹Si MAS NMR spectroscopy.
Cem Concr Res 2015 May; 71: 56-65
E 3909-10.
Control No. : 41254
- 41 SINGH, A.K. and JHA, A.K.
Radio Frequency Identification (RFID) based tracking of explosives and accessories.
J Mine Metal Fuel 2015 April; 63(4): 69-74
E 3909-10.
Control No. : 41267
- 42 SINGH,R.P. and AGARWAL. P.
Prediction of compressive strength of concrete containing nano-silica using fuzzy logic .
New Build Mater Constr World 2015 February; 20(8): 168-72
E 3909-10.
Control No. : 41282

- 43 SONG, F., et al
Microstructure of amorphous aluminum hydroxide in belite-calcium sulfoaluminate cement .
Cem Concr Res 2015 May; 71: 1-6
E3909-10.

** belite-calcium, sulfoaluminate.
Control No. : 41248
- 44 SURLAKER, S.
Waterproofing - The quality factor, Materials and detailing .
New Build Mater Constr World 2015 April; 20(10): 104-09
E 3909-10.
Control No. : 41284
- 45 SURYA PRAKASH, P.
Precast technology for low cost housing schemes in India.
New Build Mater Constr World 2015 February; 20(8): 90-99
E3909-10.
Control No. : 41279
- 46 TERMKHAJORNKIT, P., et al
Microstructurally-designed cement pastes _ A mimic strategy to determine the relationships between microstructure and properties at any hydration degree .
Cem Concr Res 2015 May; 71: 66-77
E3909-10.

** microstructure, cement paste, mimic strategy .
Control No. : 41255
- 47 TREJO, D. and PRASITTISOPIN, L.
Chemical transformation of rice husk ash morphology .
ACI Mater J 2015 May-June; 112(3): 385-92
E3909-10.

Control No. : 41237
- 48 VAGHANI, M.
Seismic retrofitting of RC beam-column connections.
New Build Mater Constr World 2015 February; 20(8): 156-67
E 3909-10.
Control No. : 41281

- 49 WANG, F., et al
Study on mechanism of desorption behavior of saturated superabsorbent polymers in concrete.
ACI Mater J 2015 May-June; 112(3): 463-70
E3909-10.
Control No. : 41245
- 50 WATKINS, K., et al
Characterization of coal fly ash by absolute foam index.
ACI Mater J 2015 May-June; 112(3): 393-98
E3909-10.
Control No. : 41238
- 51 XIAO, J., et al
Compressive behavior of recycled aggregate concrete under impact loading .
Cem Concr Res 2015 May; 71: 46-55
E3909-10.

** recycled aggregate.
Control No. : 41253
- 52 YILDIRIM, G., et al
Effects of compressive strength, autogenous shrinkage, and testing methods on bond behavior of high-early-strength engineered cementitious composites .
ACI Mater J 2015 May-June; 112(3): 409-18
E3909-10.
Control No. : 41240
- 53 ZHANG, H.Y., et al
Effect of carbon fibers on thermal and mechanical properties of metakaolin fly-ash-based geopolymers .
ACI Mater J 2015 May-June; 112(3): 375-84
E3909-10.
Control No. : 41236
- 54 ZHAO, XIANG, C.
Analysis and application of mine air heat-sink capacity in deep mine heat hazard control.
J Mine Metal Fuel 2015 May-June; 63(5-6): 141-45
E3909-10.
Control No. : 41276

