

List of Articles (31 December 2015)

- 1 DI MATTEO, L.
Systematic classification and modularization of handling systems for alternative fuels.
Cem Int 2015 March/April; 13(2): 54-61
E3901-02.
Control No. : 41045

- 2 11-20
How to increase the hydration degree of CA The influence of CA particle fineness.
Cem Concr Res 2015 January; 67: 11-20
E3901-02.
Control No. : 41065

- 3 56-59
New developments in condition monitoring of vertical roller mills.
Cem Int 2015 Jan-Feb; 13(1): MUSCHAWECK, F.
E3901-02.
Control No. : 41051

- 4 ABSALOM, N. and RAPSON, D.
Controlling flyash and blastfurnace slag.
World Cem 2014 February;: 93-96
E3814-16.
Control No. : 41024

- 5 AL-MANASEER, A. and PRADO, A.
Statistical comparisons of creep and shrinkage prediction models using RILEM and NUITI databases .
ACI Mater J 2015 Jan-Feb; 112(1): 125-36
E3901-02.
Control No. : 41038

- 6 ANON
MC-Bauchemie's unique 3M approach to successful waterproofing.
Civil Eng Constr Rev 2015 January; 28(1): 78-81
E3901-02.
Control No. : 41055

- 7 BOTTACIN, G.
Double roller sizer technology for raw material crushing.
World Cem 2014 February;: 59-62

E3814-16.
Control No. : 41018

8 BRAND, A.S. and ROESLER, J.R.
Ternary concrete with fractionated reclaimed asphalt
pavement.
ACI Mater J 2015 Jan-Feb; 112(1): 155-64
E3901-02.
Control No. : 41040

** - Keywords 1

- 9 CANOBARRITA, P.F.D.J., et al
Monitoring compressive strength of concrete by nuclear magnetic resonance, ultrasound and rebound hammer.
ACI Mater J 2015 Jan-Feb; 112(1): 147-54
E3901-02.
Control No. : 41039
- 10 CHAUNSALI, P., and MONDAL, P.
Influence of mineral admixtures on early-age behavior of calcium sulfoaluminate cement.
ACI Mater J 2015 Jan-Feb; 112(1): 59-68
E3901-02.
Control No. : 41031
- 11 DAS, S.
Laboratory study on rheological compatibility between portland slag cement & superplasticizer.
Civil Eng Constr Rev 2015 January; 28(1): 106-11
E3901-02.
Control No. : 41063
- 12 DUNG, N.T., et al
Circulating fluidized bed combustion fly ash-activated slag concrete as novel construction material.
ACI Mater J 2015 Jan-Feb; 112(1): 105-14
E3901-02.
Control No. : 41036
- 13 FLASCHER, A.
Benefits and potentials of cement grinding with vertical roller mills.
Cem Inter 2015 March/April; 13(2): 38-43
E3901-02.
Control No. : 41042
- 14 GHASR, M.T., et al
Holographical microwave imaging of corroded steel bars in concrete.
ACI Mater J 2015 Jan-Feb; 112(1): 115-24
E3901-02.
Control No. : 41037
- 15 HAJIBABAEI, A. and TYLER LEY, M.
Impact of wet and sealed curing on curling in cement past beams from drying shrinkage.
ACI Mater J 2015 Jan-Feb; 112(1): 79-84
E3901-02.

Control No. : 41033

- 16 HEERSCHÉ, P. and MEYER, W.
Project funding for energy conservation and CO2
reduction projects .
World Cem 2014 February;: 50-
E3814-16.
Control No. : 41017

** - Keywords

2

- 17 HOSHING, S.
Currently we are not using fly ash in the cement and concrete blend due to regulatory issues.
Indian Cement Review 2014 August; 29(1): p38
E3814-16.
Control No. : 41014
- 18 ISMAGILOVA, D.
Mill protection with anti-wear materials : How advanced chemically bonded corundum ceramics protect vertical roller mills.
World Cem 2014 February;: 63-66
E3814-16.
Control No. : 41019
- 19 JEWELL, R.B., et al
Interfacial bond between reinforcing fibers and calcium sulfoaluminate cements : Fiber pullout characteristics .
ACI Mater J 2015 Jan-Feb; 112(1): 39-48
E3901-02.
Control No. : 41029
- 20 KAKKAR, A.
Economics of crystalline waterproofing technology.
Civil Eng Constr Rev 2015 January; 28(1): 86-87
E3901-02.
Control No. : 41057
- 21 KALKERT,P.
Kiln shell cooling by water evaporation, controlled by infrared temperature measurement .
Cem Int 2015 March/April; 13(2): 62-69
E3901-02.
Control No. : 41046
- 22 KASHEF-HAGHIGHI, S., et al
Mathematical modelling aof CO2 uptake by concrete during accelerated carbonation curing.
Cem Concr Res 2015 January; 67: 1-10
E3901-02.
Control No. : 41064
- 23 KOLMAN, A.
Production of slag-containing cements by separate grinding of the components portland cement clinker and GGBF slag and subsequent mixing .
Cem Int 2015 Jan/Feb; 13(1): 44-48

E3901-02.
Control No. : 41049

24 KUBERAN, R.
Technologies for basement waterproofing.
Civil Eng Constr Rev 2015 January; 28(1): 70-73
E3901-02.
Control No. : 41053

** - Keywords

3

- 25 KUMAR, A.
Waterproofing and treatment of construction expansion joints.
Civil Eng Constr Rev 2015 January; 28(1): 94-95
E3901-02.
Control No. : 41059
- 26 LI,Q., et al
Fracture behaviorf of site-casting dam concrete .
ACI Mater J 2015 Jan-Feb; 112(1): 11-20
E3901-02.
Control No. : 41026
- 27 MANJREKAR, I.
Kereping India's booming IT industry waterproof -
technology focus.
Civil Eng Constr Rev 2015 January; 28(1): 88-93
E3901-02.
Control No. : 41058
- 28 MANJREKAR, S.K.
Vision 2020 for the Indian construction chemicals
industry .
Civ Eng Constr Rev 2015 January; 28(1): 99-101
E3901-02.
Control No. : 41061
- 29 MARTAUZ, P., et al
Clinkering evaluation of phosphate containing cement raw
meal by application of the kinetic method .
Cem Int 2015 Jan-Feb; 13(1): 60-69
E3901-02.
Control No. : 41052
- 30 MARTINEZ-MOLINA, W., et al
Cement-based, materials-enhanced durability from opuntia
ficus indica mucilage additions .
ACI Mater J 2015 Jan-Feb; 112(1): 165-72
E3901-02.
Control No. : 41041
- 31 MATVIYCHUK, O.
Choosing vertical roller mills for plant success.
Cem Int 2015 March/April; 13(2): 48-53
E3901-02.
Control No. : 41044

32 MICHALCIK, R. , et al
Calciner modification including a new hot gas chamber .
Cem Int 2015 Jan-Feb; 13(1): 50-55
E3901-02.
Control No. : 41050

33 MUKHOPADHYAY, M.
Spray applied waterproofing membrane system - Tam seal
800 - A cost optimised new generation water proofing
technology for faster tunnel construction.
Civil Eng Constr Rev 2015 January; 28(1): 74-77

** - Keywords

4

E3901-02.
Control No. : 41054

- 34 NIAN, W., et al
Experimental investigation of blast-pressure attenuation
by cellular concrete.
ACI Mater J 2015 Jan-Feb; 112(1): 21-28
E3901-02.
Control No. : 41027
- 35 NOORI, A., et al
Behavior of steel fiber-reinforced cementitious mortar
and high-performance concrete in triaxial loading.
ACI Mater J 2015 Jan-Feb; 112(1): 95-104
E3901-02.
Control No. : 41035
- 36 NOWASEL, Q.C. and KEVERN, J.T.
Using drinking water treatment waste as low-cost internal
curing agent for concrete.
ACI Mater J 2015 Jan-Feb; 112(1): 69-78
E3901-02.
Control No. : 41032
- 37 OSBORNE, D.
Resistor repair and replacement : Three-section resistor
for a crusher at Ketton cement plant.
World Cem 2014 February;; 67-72
E3814-16.
Control No. : 41020
- 38 PANDEY,S.P.
Alternative raw materials in cement manufacturing.
World Cem 2014 February;; 77-
E3814-16.
Control No. : 41022
- 39 PEDERSEN, S.T.and MEIER, R.
Improving sample preparation : Quality control and
process optimisation in cement production and introduce a
new system for X-ray analysis.
World Cem 2014 February;; 87-
E3814-16.
Control No. : 41023
- 40 PITHAWALA, C.
Surprising, the construction industry is yet not fully

aware of the advantages of fly ash.
Indian Cement Review 2014 August; 29(1): 36-37
E3814-16.
Control No. : 41013

- 41 RADLINSKI, M. and OLEK, J.
Effects of curing conditions on properties of ternary
(Ordinary portland cement/fly ash/silica fume) concrete .
ACI Mater J 2015 Jan-Feb; 112(1): 49-58
E3901-02.
Control No. : 41030

** - Keywords

5

- 42 RAMACHANDRA, V.
Cement concrete roads (Part II and III) white topping for road rehabilitation .
Indian Cement Review 2014 August; 29(1): 24-E3814-16.
Control No. : 41015
- 43 RAWAL, M.
Development of new admixtures to improve concrete performance.
Civil Eng Constr Rev 2015 January; 28(1): 102-03 E3901-02.
Control No. : 41062
- 44 RIZVI, H.
Construction chemicals : An essential aid to waterproofing technology .
Civil Eng Constr Rev 2015 January; 28(1): 82-85 E3901-02.
Control No. : 41056
- 45 SAKURADA, R. , et al
First principles study on structural stability of belite.
ACI Mater J 2015 Jan-Feb; 112(1): 85-94 E3901-02.
Control No. : 41034
- 46 SERPA, D., et al
Concrete made with recycled glass aggregates : Mechanical performance.
ACI Mater J 2015 Jan-Feb; 112(1): 29-38 E3901-02.
Control No. : 41028
- 47 SHAH, M.
Manual blending offly ash is prone to errors.
Indian Cement Review 2014 August; 29(1): 32-E3814-16.
Control No. : 41012
- 48 SINGH, N.B.
Hydration of fly ash blended cement in the presence of dolomite hydrated lime.
Cem Int 2015 March/April; 13(2): 70-77 E3901-02.
Control No. : 41047

49 SONI, U.
Modular concrete curing a green alternative to curing
process .
Indian Cement Review 2014 August; 29(1): 46-51
E3814-16.
Control No. : 41016

50 STROHMEYER, D., et al
Latest technological innovations in grinding with the
vertical roller mill.
Cem Int 2015 March/April; 13(2): 44-47

** - Keywords

6

E3901-02.
Control No. : 41043

51 SURLAKER, S.
Construction chemical industry challenges
and opportunities.
Civil Eng Constr Rev 2015 January; 28(1): 96-98
E3901-02 Civil Eng Constr Rev.
Control No. : 41060

52 VEERAPPAN, K.
Use of fly ash is inevitable to produce durable
structures .
Indian Cement Review 2014 August; 29(1): P31
E3814-16.
Control No. : 41011

53 WIDER, F.
Experiences with waste heat recovery at the cement plant
Untervaz of Holcim (Switzerland) .
Cem Int 2015 Jan/Feb; 13(1): 38-43
E3901-02.
Control No. : 41048

54 ZHENG, J-J., et al
Differential effective medium theory for chloride
diffusivity of concrete .
ACI Mater J 2015 Jan-Feb; 112(1): 3-10
E3901-02.
Control No. : 41025

55 ZSCHIESCHE, W. and MENSEL, K.
System for the use of alternative fuels in cement
production .
World Cem 2014 February;: 73-76
E3814-16.
Control No. : 41021

** - Keywords

7